

First pages of 50 granted US patents



US010730333B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,730,333 B2**
(45) **Date of Patent:** **Aug. 4, 2020**

(54) **PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Aharon Shmaiser, Rishon LeZion (IL);
Itshak Ashkanazi, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/433,970**

(22) Filed: **Jun. 6, 2019**

(65) **Prior Publication Data**
US 2019/0358982 A1 Nov. 28, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/871,797, filed on Jan. 15, 2018, now Pat. No. 10,357,985, which is a (Continued)

(30) **Foreign Application Priority Data**
Mar. 20, 2015 (GB) 1504719.4

(51) **Int. Cl.**
B41M 5/025 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**
CPC **B41M 5/0256** (2013.01); **B41J 2/01** (2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**
CPC B41M 5/0256; B41J 2/01; B41J 2002/012 (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,264,904 A 11/1993 Audi et al.
5,349,905 A 9/1994 Taylor et al.
(Continued)

FOREIGN PATENT DOCUMENTS

JP S55578904 A 6/1980
JP S57121446 U 7/1982
(Continued)

OTHER PUBLICATIONS


Co-pending U.S. Appl. No. 16/282,317, filed Feb. 22, 2019.
(Continued)

Primary Examiner — Huan H Tran
Assistant Examiner — Alexander D Shenderov
(74) *Attorney, Agent, or Firm* — Marc Van Dyke;
Momentum IP Group

(57) **ABSTRACT**

An intermediate transfer member (ITM) for use in a printing system to transport an ink image from an image forming station to an impression station for transfer of the ink image from the ITM onto a printing substrate, wherein the ITM is an endless flexible belt of substantially uniform width which, during use, passes over drive and guide rollers and is guided through at least the image forming station by means of guide channels that receive formations provided on both lateral edges of the belt, wherein the formations on a first edge differ from the formations on the second edge by being configured for providing the elasticity desired to maintain the belt taut when the belt is guided through their respective lateral channels.

17 Claims, 10 Drawing Sheets





(12) **United States Patent**
Ben-David et al.

(10) **Patent No.:** **US 10,556,415 B2**
(45) **Date of Patent:** **Feb. 11, 2020**

(54) **METHOD AND APPARATUS FOR BUILDING A 3D OBJECT FROM LAYERS OF PRE-STRIPPED SUBSTRATE**

(58) **Field of Classification Search**
USPC 156/249, 250, 256, 263, 265, 267, 269, 156/308.2, 309.6
See application file for complete search history.

(71) Applicant: **HIGHCON SYSTEMS LTD.**, Yavne (IL)

(56) **References Cited**

(72) Inventors: **David Ben-David**, Rehovot (IL); **Eli Ireni**, Raanana (IL); **Michael Zimmer**, Beit Elazari (IL); **Michael Karp**, Petah Tikva (IL); **Claudio Rottman**, Modiin (IL)

U.S. PATENT DOCUMENTS

3,019,824 A 2/1962 Bakke
4,078,956 A 3/1978 Scheck
(Continued)

(73) Assignee: **HIGHCON SYSTEMS LTD.**, Yavne (IL)

FOREIGN PATENT DOCUMENTS

CA 792063 A 8/1968
CN 103855324 A 6/2014
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

Machine Translation (by EPO and Google) for DE102005030765 published on Nov. 9, 2006.

(21) Appl. No.: **15/751,059**

(Continued)

(22) PCT Filed: **Aug. 26, 2015**

Primary Examiner — Sing P Chan

(86) PCT No.: **PCT/IB2015/056481**

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

§ 371 (c)(1),

(2) Date: **Feb. 7, 2018**

(57) **ABSTRACT**

(87) PCT Pub. No.: **WO2017/033046**

Embodiments of the present invention relate to a system and method for manufacturing a three-dimensional object from a stack of pre-stripped layers of substrate. Each object layer is formed by (i) providing substrate comprising waste portion(s) and substrate-retained portion(s) that are attached to each other and separated from one another by cut(s) within the substrate; (ii) subsequently, subjecting the subject of each layer to a stripping process which selectively strips away substrate-waste portion(s) from the substrate-retained portion(s). After stripping, the object layer is added to a stack of previously-stacked object layers to grow the stack. This process is repeated to further grow the stack. Object layers of the stack are bonded to each other to build the three-dimensional object therefrom. Apparatus and methods for stripping are also described—any teaching or combination of teaching(s) related to stripping substrate may be

PCT Pub. Date: **Mar. 2, 2017**

(Continued)

(65) **Prior Publication Data**

US 2018/0297348 A1 Oct. 18, 2018

(51) **Int. Cl.**

B32B 37/18 (2006.01)


B26F 3/00 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **B32B 37/18** (2013.01); **B29C 64/147** (2017.08); **B29C 64/245** (2017.08);

(Continued)





US010703093B2

(12) **United States Patent**
Karlinski et al.

(10) **Patent No.:** **US 10,703,093 B2**
(45) **Date of Patent:** **Jul. 7, 2020**

(54) **INDIRECT INKJET PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Haggai Karlinski**, Ramat Gan (IL);
Alon Siman-Tov, Or Yehuda (IL);
Yehoshua Sheinman, Ra'anana (IL);
Aharon Shmaiser, Rishon LeZion (IL);
Daniel Alkhanati, Nes Ziona (IL);
Elad Pur Buchray, Nes Ziona (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/244,145**

(22) Filed: **Jan. 10, 2019**

(65) **Prior Publication Data**
US 2019/0168503 A1 Jun. 6, 2019

Related U.S. Application Data

(63) Continuation-in-part of application No. 15/741,897,
filed as application No. PCT/IB2016/053049 on May
25, 2016, now Pat. No. 10,259,245.
(Continued)

(30) **Foreign Application Priority Data**

Jul. 10, 2015 (GB) 1512145.2

(51) **Int. Cl.**
B41J 2/005 (2006.01)
B41J 2/17 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41J 2/01**
(2013.01); **B41J 2/165** (2013.01); **B41J**
2/1714 (2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**

CPC B41J 2/1714
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,697,568 A 10/1972 Boissieras et al.
4,190,844 A 2/1980 Taylor
(Continued)

FOREIGN PATENT DOCUMENTS

CN 201362033 Y 12/2009
CN 101808826 A 8/2010
(Continued)

OTHER PUBLICATIONS


CN101808826A Machine Translation (by EPO and Google Patents)—
published Aug. 18, 2010; Eastman Kodak Co.
(Continued)

Primary Examiner — Shelby L Fidler
(74) *Attorney, Agent, or Firm* — Marc Van Dyke;
Momentum IP Group

(57) **ABSTRACT**

An indirect printing system comprising an intermediate transfer member (ITM) and an image forming station at which droplets of ink are applied to the ITM to form ink images thereon, the image forming station including a first print bar including a first plurality of print heads and having mounted thereon a first blowing mechanism for introducing a first gas flow, having a first flow rate, into a gap between the first plurality of print heads and the ITM, and a second print bar including a second plurality of print heads and having mounted thereon a second blowing mechanism for introducing a second gas flow, having a second flow rate, into a gap between the second plurality of print heads and the ITM, the second print bar being disposed downstream of the first print bar, the second flow rate being greater than the first flow rate.

10 Claims, 10 Drawing Sheets





US009731514B2

(12) **United States Patent**
Eliav et al.

(10) **Patent No.:** **US 9,731,514 B2**
(45) **Date of Patent:** **Aug. 15, 2017**

(54) **METHOD AND APPARATUS FOR PRINTING ON A DRINK**

(71) Applicant: **STEAM CC LTD.**, Petah Tikva (IL)

(72) Inventors: **Eyal Eliav**, Tel Aviv (IL); **Yossi Meshulam**, Kochav Yair (IL); **Marc Van Dyke**, Beit Shemesh (IL)

(73) Assignee: **STEAM CC LTD.**, Petach Tikva (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/191,465**

(22) Filed: **Jun. 23, 2016**

(65) **Prior Publication Data**

US 2017/0066252 A1 Mar. 9, 2017

Related U.S. Application Data

(60) Provisional application No. 62/183,695, filed on Jun. 23, 2015.

(51) **Int. Cl.**
B41J 3/407 (2006.01)
G06Q 30/06 (2012.01)

(Continued)

(52) **U.S. Cl.**
CPC **B41J 3/4073** (2013.01); **B41J 2/01** (2013.01); **G06Q 30/0601** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC B41J 2/01; B41J 3/4073; G06C 30/0601; G06C 30/0603; G06C 30/0631; G06C 30/0635; G06C 30/60; G07F 13/065

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,961,533 A * 10/1990 Teller B67D 1/06 177/25.19
6,250,545 B1 * 6/2001 Mazzarolo B65D 81/3876 220/592.17

(Continued)


Primary Examiner — Anh T. N. Vo

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

A method and printing device of providing a customized drink and printing on a current drink through an ink-jet printer and computer programs can be configured to perform actions by instructions when executed by data processing apparatus. The printing device includes a mapped drink-code database specifying a map for a plurality of drink-printing codes between, a respective combination of a respective drink-printing-code-specific target image to be printed by the ink-jet printer, respective drink-printing-code-specific target drink property-data describing contents of a respective target-drink and container by database, analysis circuitry for computing a drink-match parameter between, property-data of the current drink sensed by the sensor(s), displaying a drink-property-heterogeneous menu including the plurality of drink-printing codes on the display-screen, receiving a user-selection of one of the drink codes to thereby user-specify, according to the mapped drink-code database, a target-image and target-drink property-data, and a device controller for responding to the user drink-code selection, in accordance with content of the mapped drink-code database, output of the sensor(s) and output of the analysis circuitry.

5 Claims, 26 Drawing Sheets





US010642198B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,642,198 B2**
(45) **Date of Patent:** **May 5, 2020**

(54) **INTERMEDIATE TRANSFER MEMBERS FOR USE WITH INDIRECT PRINTING SYSTEMS AND PROTONATABLE INTERMEDIATE TRANSFER MEMBERS FOR USE WITH INDIRECT PRINTING SYSTEMS**

(58) **Field of Classification Search**
CPC G03G 15/162
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

2,839,181 A	6/1958	Renner	
3,697,551 A	10/1972	Thomson	
3,697,568 A	10/1972	Boissieras et al.	
3,889,802 A	6/1975	Jonkers et al.	
3,898,670 A	8/1975	Erikson et al.	
3,947,113 A	3/1976	Buchan et al.	
4,009,958 A	3/1977	Kurita et al.	
4,093,764 A *	6/1978	Duckett	B32B 25/10 428/113
4,293,866 A	10/1981	Takita et al.	
4,401,500 A	8/1983	Hamada et al.	
4,535,694 A	8/1985	Fukuda	
4,538,156 A	8/1985	Durkee et al.	
4,642,654 A	2/1987	Togano et al.	
4,853,737 A	8/1989	Hartley et al.	
4,976,197 A	12/1990	Yamanari et al.	
5,012,072 A	4/1991	Martin et al.	
5,039,339 A	8/1991	Phan et al.	
5,075,731 A	12/1991	Kamimura et al.	
5,099,256 A	3/1992	Anderson	
5,106,417 A	4/1992	Hauser et al.	
5,128,091 A	7/1992	Agur et al.	

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Meir Soria**, Jerusalem (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 465 days.

(21) Appl. No.: **15/379,625**

(22) Filed: **Dec. 15, 2016**

(65) **Prior Publication Data**

US 2017/0192374 A1 Jul. 6, 2017

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/382,917, filed as application No. PCT/IB2013/051751 on Mar. 5, 2013, now abandoned, which is a continuation-in-part of application No. 14/382,885, filed as application No. PCT/IB2013/051743 on Mar. 5, 2013, now abandoned, which is a continuation-in-part of application No. 15/345,238, filed on Nov. 7, 2016, now Pat. No. 9,849,667.

(60) Provisional application No. 61/640,893, filed on May 1, 2012, provisional application No. 61/640,881, filed on May 1, 2012, provisional application No. 61/606,913, filed on Mar. 5, 2012, provisional application No. 61/607,537, filed on Mar. 6, 2012, provisional application No. 61/611,557, filed on Mar. 15, 2012, provisional application No. 61/611,564, filed on Mar. 15, 2012, provisional application No. 61/611,566, filed on Mar. 15, 2012, provisional application No. 61/611,552, filed on Mar. 15, 2012, provisional application No. 61/611,497, filed on Mar. 15, 2012, provisional application No. 61/635,180, filed on Apr. 18, 2012, provisional application No. 61/641,258, filed on May 1, 2012, provisional application No. 61/640,493, filed on Apr. 30, 2012.

(51) **Int. Cl.**
B41D 7/00 (2006.01)
G03G 15/16 (2006.01)

(52) **U.S. Cl.**
CPC **G03G 15/162** (2013.01)

FOREIGN PATENT DOCUMENTS

CN	1121033 A	4/1996
CN	1200085 A	11/1998

(Continued)

OTHER PUBLICATIONS

BASF , "JONCRYL 537", Datasheet , Retrieved from the Internet : Mar. 23, 2007 p. 1.

(Continued)

Primary Examiner — Kara B Boyle

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

Disclosed are curable polymer compositions, elastomers thereof and release layers useful in the art of printing made of the disclosed elastomers. Disclosed are also intermediate transfer members having a release layer useful in the art of printing. Disclosed are anisotropic intermediate transfer members. Disclosed are curable adhesive compositions, that in some embodiments are useful in preparing intermediate transfer members useful in printing. Also disclosed are intermediate transfer members useful in the art of printing having a release layer with an image transfer surface having protonatable functional groups apparent thereupon. Also disclosed are methods of making such intermediate transfer members.



US009314944B2

(12) **United States Patent**
Shohat et al.

(10) **Patent No.:** **US 9,314,944 B2**
(45) **Date of Patent:** **Apr. 19, 2016**

(54) **METHOD OF FORMING A SEAMLESS BLADDER**

2017/00929 (2013.01); A61B 2017/320048 (2013.01); A61B 2019/481 (2013.01)

(75) Inventors: **Shaul Shohat**, Kfar HaOranim (IL);
Abraham Jakob Domb, Efrat (IL);
Adrian Paz, Petach-Tikva (IL)

(58) **Field of Classification Search**
None
See application file for complete search history.

(73) Assignee: **BIOPROTECT LTD.**, Kfar-Saba (IL)

(56) **References Cited**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

U.S. PATENT DOCUMENTS

(21) Appl. No.: **13/495,087**

4,513,058 A 4/1985 Martin
5,176,692 A 1/1993 Wilk et al.
5,318,586 A 6/1994 Ereren et al.
5,334,210 A 8/1994 Gianturco et al.
5,336,252 A 8/1994 Cohen

(22) Filed: **Jun. 13, 2012**

(Continued)

(65) **Prior Publication Data**

FOREIGN PATENT DOCUMENTS

US 2012/0253097 A1 Oct. 4, 2012

DE 102007018341 10/2008
DE 102007051782 5/2009

(Continued)

Related U.S. Application Data

OTHER PUBLICATIONS

(63) Continuation of application No. 11/630,257, filed as application No. PCT/IL2005/000672 on Jun. 23, 2005, now Pat. No. 8,221,442.

Takeaki Miyamoto et al, Tissue biocompatibility of cellulose and its derivatives, Journal of Biomedical Materials Research vol. 23, Issue 1, pp. 125-133, Jan. 1989.*

(60) Provisional application No. 60/581,769, filed on Jun. 23, 2004.

(Continued)

(51) **Int. Cl.**

Primary Examiner — Benjamin Schiffman

B29C 33/52 (2006.01)
B29C 41/14 (2006.01)
A61B 17/02 (2006.01)
A61B 17/00 (2006.01)
A61B 17/32 (2006.01)
A61B 19/00 (2006.01)

(74) *Attorney, Agent, or Firm* — Marc Van Dyke


(52) **U.S. Cl.**

(57) **ABSTRACT**

CPC **B29C 33/52** (2013.01); **A61B 17/0218** (2013.01); **B29C 41/14** (2013.01); **A61B 2017/00004** (2013.01); **A61B 2017/00526** (2013.01); **A61B 2017/00557** (2013.01); **A61B 2017/00831** (2013.01); **A61B 2017/00867** (2013.01); **A61B 2017/00902** (2013.01); **A61B**

A tissue displacement/separation device is provided. The device includes a bladder which is expandable between a first tissue and a second tissue of a body. The bladder has an expanded shape which is selected capable of displacing or separating the first tissue from the second tissue in a manner suitable for protecting the first tissue from an effect of a treatment applied to the second tissue.

34 Claims, 9 Drawing Sheets





US010889128B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,889,128 B2**

(45) **Date of Patent:** **Jan. 12, 2021**

(54) **INTERMEDIATE TRANSFER MEMBER**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Moshe Levanon**, Rehovot (IL); **Helena Chechik**, Rehovot (IL); **Tatiana Kurtser**, Petach Tikva (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/303,615**

(22) PCT Filed: **May 30, 2017**

(86) PCT No.: **PCT/IB2017/053167**

§ 371 (c)(1),
(2) Date: **Nov. 20, 2018**

(87) PCT Pub. No.: **WO2017/208144**

PCT Pub. Date: **Dec. 7, 2017**

(65) **Prior Publication Data**

US 2020/0062002 A1 Feb. 27, 2020

Related U.S. Application Data

(60) Provisional application No. 62/343,108, filed on May 30, 2016.

(30) **Foreign Application Priority Data**

May 30, 2016 (GB) 1609463.3

(51) **Int. Cl.**

B41J 2/22 (2006.01)
B32B 5/26 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **B41J 2/22** (2013.01); **B32B 5/26** (2013.01); **B32B 7/06** (2013.01); **B32B 7/12** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC **B41J 2/0057**; **B41J 2/22**; **B41J 2002/012**; **B41M 5/36**; **B41M 5/52**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner
3,011,545 A 12/1961 Welsh et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1121033 A 4/1996
CN 1200085 A 11/1998
(Continued)

OTHER PUBLICATIONS

"Amino Functional Silicone Polymers", in Xiameter.Copyrgt. 2009 Dow Corning Corporation.

(Continued)


Primary Examiner — John Zimmermann

(74) *Attorney, Agent, or Firm* — Marc Van Dyke; Momentum IP Group

(57) **ABSTRACT**

An intermediate transfer member (ITM) for use with a printing system, the ITM having (a) a support layer; and (b) a release layer having an ink reception surface and a second surface opposing the ink reception surface, the second surface attached to the support layer, the release layer formed of an addition-cured, hydrophobic silicone material, wherein the release surface of the release layer has relatively hydrophilic properties with respect to the addition-cured, hydrophobic silicone material.

24 Claims, 4 Drawing Sheets





(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,828,888 B2**
(45) **Date of Patent:** **Nov. 10, 2020**

(54) **ENDLESS FLEXIBLE BELT FOR A PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Aharon Shmaiser**, Rishon LeZion (IL); **Rami Keller**, Tel Aviv (IL); **Itshak Ashkanazi**, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/714,756**

(22) Filed: **Dec. 15, 2019**

(65) **Prior Publication Data**
US 2020/0189264 A1 Jun. 18, 2020

Related U.S. Application Data
(63) Continuation of application No. 16/219,582, filed on Dec. 13, 2018, now Pat. No. 10,569,533, which is a continuation of application No. 15/790,026, filed on Oct. 22, 2017, now Pat. No. 10,201,968, which is a continuation of application No. 15/345,238, filed on Nov. 7, 2016, now Pat. No. 9,849,667, which is a (Continued)

(51) **Int. Cl.**
B41J 2/005 (2006.01)

(52) **U.S. Cl.**
CPC .. **B41J 2/0057** (2013.01); **G03G 2215/00147** (2013.01); **G03G 2215/00151** (2013.01)

(58) **Field of Classification Search**
CPC . B41J 11/007; B41J 2/0057; B41J 1/30; B41J 2/22; B41J 2/315; B41J 2/435; B41J 347/103; B41J 17/28; B41J 17/30; B41J 17/32; G03G 2215/00147; G03G 2215/00151; B65H 5/02
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
5,075,731 A 12/1991 Kamimura et al.
5,246,100 A * 9/1993 Stone F16G 3/00 198/844.2


(Continued)
FOREIGN PATENT DOCUMENTS
JP H03248170 A 11/1991
JP H05192871 A 8/1993
(Continued)

OTHER PUBLICATIONS
Co-pending U.S. Appl. No. 16/512,915, filed Jul. 16, 2019.
(Continued)

Primary Examiner — Scott A Richmond
(74) *Attorney, Agent, or Firm* — Marc Van Dyke; Momentum IP Group

(57) **ABSTRACT**
A flexible belt is disclosed for use in a printing system. The belt comprises an endless strip which, in use, travels along a continuous path. Formations are provided along the sides of the strip which are capable of engaging with lateral tracks to place the belt under lateral tension, the lateral tracks further serving to constrain the belt to follow the continuous path.

26 Claims, 8 Drawing Sheets





US010800936B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,800,936 B2**
(45) **Date of Patent:** **Oct. 13, 2020**

(54) **INK FILM CONSTRUCTIONS**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Galia Golodetz**, Rehovot (IL); **Gregory Nakhmanovich**, Rishon Lezion (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 14 days.

(21) Appl. No.: **16/282,317**

(22) Filed: **Feb. 22, 2019**

(65) **Prior Publication Data**
US 2019/0256724 A1 Aug. 22, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/082,065, filed on Mar. 28, 2016, now Pat. No. 10,266,711, which is a
(Continued)

(51) **Int. Cl.**
C09D 11/30 (2014.01)
B41J 2/005 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **C09D 11/30** (2013.01); **B32B 3/10** (2013.01); **B32B 5/02** (2013.01); **B41F 16/0006** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC ... B41J 2/01; B41J 2/211; B41J 2/1433; B41J 2/17; B41J 2/17593; B41J 2/2107;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,697,568 A 10/1972 Boissieras et al.
3,889,802 A 6/1975 Jonkers et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1121033 A 4/1996
CN 1212229 A 3/1999
(Continued)

OTHER PUBLICATIONS

CN104618642 Machine Translation (by EPO and Google); published on May 13, 2015, Yulong Comp Comm Tech Shenzhen.
(Continued)


Primary Examiner — Manish S Shah

(74) *Attorney, Agent, or Firm* — Marc Van Dyke; Momentum IP Group

(57) **ABSTRACT**

An ink film construction including: (a) a printing substrate; and (b) at least one ink film, fixedly adhered to a top surface of the printing substrate, the ink film having an upper film surface distal to the top surface of the substrate, wherein a surface concentration of nitrogen at the upper film surface exceeds a bulk concentration of nitrogen within the film, the bulk concentration measured at a depth of at least 30 nanometers below the upper film surface, and wherein a ratio of the surface concentration to the bulk concentration is at least 1.1 to 1.

19 Claims, 27 Drawing Sheets





US010759953B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,759,953 B2**
(45) **Date of Patent:** **Sep. 1, 2020**

- (54) **INK FORMULATIONS AND FILM CONSTRUCTIONS THEREOF**
- (71) Applicant: **LANDA CORPORATION LTD.,**
Rehovot (IL)
- (72) Inventors: **Benzion Landa, Nes Ziona (IL);**
Gregory Nakhmanovich, Rishon
LeZion (IL); Galia Golodetz, Rehovot
(IL); Sagi Abramovich, Ra'anana (IL)
- (73) Assignee: **LANDA CORPORATION LTD.,**
Rehovot (IL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **16/048,299**
- (22) Filed: **Jul. 29, 2018**
- (65) **Prior Publication Data**
US 2019/0023919 A1 Jan. 24, 2019
- Related U.S. Application Data**
- (63) Continuation of application No. 14/917,461, filed as application No. PCT/IB2014/002395 on Sep. 11, 2014, now abandoned.
- (60) Provisional application No. 61/876,727, filed on Sep. 11, 2013.
- (30) **Foreign Application Priority Data**
Jan. 23, 2014 (GB) 1401173.8
- (51) **Int. Cl.**
C09D 11/107 (2014.01)
C09D 11/104 (2014.01)
C09D 11/38 (2014.01)
C09D 11/06 (2006.01)
C09D 11/30 (2014.01)
C09D 11/106 (2014.01)
- (52) **U.S. Cl.**
CPC **C09D 11/107** (2013.01); **C09D 11/104** (2013.01); **C09D 11/106** (2013.01); **C09D 11/30** (2013.01); **C09D 11/38** (2013.01)
- (58) **Field of Classification Search**
CPC C09D 11/07; C09D 11/104; C09D 11/38; C09D 11/06; C09D 11/30
USPC 524/562
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

2,839,181 A	6/1958	Renner
3,011,545 A	12/1961	Welsh et al.
3,053,319 A	9/1962	Cronin et al.
3,697,551 A	10/1972	Thomson
3,697,568 A	10/1972	Boissieras et al.
3,889,802 A	6/1975	Jonkers et al.
3,898,670 A	8/1975	Erikson et al.

3,947,113 A	3/1976	Buchan et al.
4,009,958 A	3/1977	Kurita et al.
4,093,764 A	6/1978	Duckett et al.
4,293,866 A	10/1981	Takita et al.
4,401,500 A	8/1983	Hamada et al.
4,535,694 A	8/1985	Fukuda
4,538,156 A	8/1985	Durkee et al.
4,555,437 A	11/1985	Tanck
4,575,465 A	3/1986	Viola
4,642,654 A	2/1987	Toganoh et al.
4,853,737 A	8/1989	Hartley et al.
4,976,197 A	12/1990	Yamanari et al.
5,012,072 A	4/1991	Martin et al.
5,039,339 A	8/1991	Phan et al.
5,062,364 A	11/1991	Lewis et al.
5,075,731 A	12/1991	Kamimura et al.
5,099,256 A	3/1992	Anderson
5,106,417 A	4/1992	Hauser et al.
5,128,091 A	7/1992	Agur et al.
5,190,582 A	3/1993	Shinozuka et al.
5,198,835 A	3/1993	Ando et al.
5,246,100 A	9/1993	Stone et al.
5,264,904 A	11/1993	Audi et al.
5,305,099 A	4/1994	Morcoc
5,333,771 A	8/1994	Cesario
5,349,905 A	9/1994	Taylor et al.
5,352,507 A	10/1994	Bresson et al.
5,365,324 A	11/1994	Gu et al.
5,406,884 A	4/1995	Okuda et al.
5,471,233 A	11/1995	Okamoto et al.
5,532,314 A	7/1996	Sexsmith
5,552,875 A	9/1996	Sagiv et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1121033 A	4/1996
CN	1200085 A	11/1998

(Continued)

OTHER PUBLICATIONS

"Amino Functional Silicone Polymers", in Xiameter.Copyrgt. 2009 Dow Corning Corporation.

(Continued)

Primary Examiner — Deve V Hall
(74) *Attorney, Agent, or Firm* — Marc Van Dyke;
Momentum IP Group

(57) **ABSTRACT**

Ink formulations suitable for deposition upon the intermediate transfer member of an indirect printing system and for transfer therefrom to a substrate. The inks are aqueous inkjet inks comprising an organic polymeric resin and a colorant. Ink film constructions including a plurality of continuous ink films fixedly adhered to the printing substrate that can be obtained with these inks are also disclosed. The inks and the printed constructions are such that the ink films and the dried inks composing them have a first dynamic viscosity within a range of 10⁶ cP to 5·10⁷ cP at at least a first temperature within a first range of 60° C. to 87.5° C., and a second dynamic viscosity of at least 6·10⁷ cP, for at least a second temperature within a second range of 50° C. to 55° C.

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,596,804 B2**
(45) **Date of Patent:** **Mar. 24, 2020**


- (54) **INDIRECT PRINTING SYSTEM**
- (71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)
- (72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Aharon Shmaiser, Rishon LeZion (IL);
Alon Siman-Tov, Or Yehuda (IL); **Alon Levy**, Rehovot (IL)
- (73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **15/556,324**
- (22) PCT Filed: **Mar. 20, 2016**
- (86) PCT No.: **PCT/IB2016/051560**
§ 371 (c)(1),
(2) Date: **Sep. 7, 2017**
- (87) PCT Pub. No.: **WO2016/151462**
PCT Pub. Date: **Sep. 29, 2016**
- (65) **Prior Publication Data**
US 2018/0093470 A1 Apr. 5, 2018
- (30) **Foreign Application Priority Data**
Mar. 20, 2015 (GB) 1504716.0
- (51) **Int. Cl.**
B41J 29/38 (2006.01)
B41J 2/01 (2006.01)
- (52) **U.S. Cl.**
CPC **B41J 2/01** (2013.01); **B41J 2002/012** (2013.01)
- (58) **Field of Classification Search**
USPC 347/102
See application file for complete search history.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- 2,839,181 A 6/1958 Renner
- 3,697,551 A 10/1972 Thomson
- (Continued)
- FOREIGN PATENT DOCUMENTS
- CN 1121033 A 4/1996
- CN 1200085 A 11/1998
- (Continued)
- OTHER PUBLICATIONS
- JP2009214439 Machine Translation (by PlatPat English machine translation)—published Sep. 24, 2009 Fujifilm Corp.
- (Continued)
- Primary Examiner* — Lam S Nguyen
- (74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

An indirect printing system is disclosed having an intermediate transfer member (ITM) in the form of an endless belt that circulates during operation to transport ink images from an image forming station. Ink images are deposited on an outer surface of the ITM by one or a plurality of print bars. At an impression station, the ink images are transferred from the outer surface of the ITM onto a printing substrate. In some embodiments, the outer surface of the ITM 20 is maintained within the image forming station at a predetermined distance from the one or each of the print bars 10, 12, 14 and 16 by means of a plurality of support rollers 11, 13, 15, 17 that have a common flat tangential plane and contact the inner surface of the ITM. In some embodiments, the inner surface of the ITM is attracted to the support rollers, the attraction being such that the area of contact between the ITM and each support roller is greater on the downstream side than the upstream side of the support roller, referenced to the direction of movement of the ITM.

20 Claims, 8 Drawing Sheets





US010569534B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 10,569,534 B2**
(45) **Date of Patent:** **Feb. 25, 2020**

(54) **DIGITAL PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Benzion Landa, Nes Ziona (IL); **Sagi**
Moskovich, Petach Tikva (IL); **Nir**
Zarmi, Be'erotayim (IL); **Yehuda**
Solomon, Rishon LeZion (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/226,726**

(22) Filed: **Dec. 20, 2018**

(65) **Prior Publication Data**

US 2019/0202198 A1 Jul. 4, 2019

Related U.S. Application Data

(63) Continuation-in-part of application No. 15/871,652,
filed on Jan. 15, 2018, now Pat. No. 10,179,447,
(Continued)

(30) **Foreign Application Priority Data**

Sep. 11, 2013 (GB) 1316203.7
Jan. 15, 2015 (GB) 1500683.6

(51) **Int. Cl.**
B41J 2/005 (2006.01)
B41J 3/60 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41J 2/005**
(2013.01); **B41J 2/01** (2013.01); **B41J 3/60**
(2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**

CPC ... B41J 2/0057; B41J 3/60; B41J 2/005; B41J
2002/012; B41J 2/01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,697,568 A 10/1972 Boissieras et al.
3,889,802 A 6/1975 Jonkers et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1493514 A 5/2004

(Continued)

OTHER PUBLICATIONS

IP.com search (Year: 2019).*

(Continued)



Primary Examiner — Lisa Solomon

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

A system printing comprises: a movable intermediate trans-
fer member in the form of a flexible, substantially inexten-
sible, belt guided to follow a closed path, an image forming
station for forming an ink image, a drying station for drying
the ink image to leave an ink residue film, first and second
impression stations spaced from one another in the direction
of movement of the belt, each impression station comprising
an impression cylinder for supporting and transporting a
substrate and a pressure cylinder for urging the belt against
the substrate supported on the impression cylinder, and a
transport system including a perfecting system for select-
ively inverting the substrate during transportation between
the two impression stations; and a treatment station situated
between the second impression station and the image form-

(Continued)





US010569533B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,569,533 B2**

(45) **Date of Patent:** **Feb. 25, 2020**

(54) **ENDLESS FLEXIBLE BELT FOR A PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Aharon Shmaiser**, Rishon LeZion (IL); **Rami Keller**, Tel Aviv (IL); **Itshak Ashkanazi**, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/219,582**

(22) Filed: **Dec. 13, 2018**

(65) **Prior Publication Data**

US 2019/0193391 A1 Jun. 27, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/790,026, filed on Oct. 22, 2017, now Pat. No. 10,201,968, which is a continuation of application No. 15/345,238, filed on Nov. 7, 2016, now Pat. No. 9,849,667, which is a continuation of application No. 14/382,759, filed as application No. PCT/IB2013/051719 on Mar. 5, 2013, now Pat. No. 9,517,618.

(60) Provisional application No. 61/611,505, filed on Mar. 15, 2012, provisional application No. 61/611,497, filed on Mar. 15, 2012, provisional application No. 61/635,180, filed on Apr. 18, 2012.

(51) **Int. Cl.**
B41J 2/005 (2006.01)

(52) **U.S. Cl.**
CPC .. **B41J 2/0057** (2013.01); **G03G 2215/00147** (2013.01); **G03G 2215/00151** (2013.01)

(58) **Field of Classification Search**
CPC . B41J 11/007; B41J 2/0057; B41J 2/22; B41J 2/315; B41J 2002/012; B41J 17/28; B41J 17/30

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,697,568 A 10/1972 Boissieras et al.

3,889,802 A 6/1975 Jonkers et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1121033 A 4/1996

CN 1200085 A 11/1998

(Continued)

OTHER PUBLICATIONS

"Amino Functional Silicone Polymers", in Xiameter.Copyrgt. 2009 Dow Corning Corporation.

(Continued)


Primary Examiner — Scott A Richmond

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

A flexible belt is disclosed for use in a printing system. The belt comprises an endless strip which, in use, travels along a continuous path. Formations are provided along the sides of the strip which are capable of engaging with lateral tracks to place the belt under lateral tension, the lateral tracks further serving to constrain the belt to follow the continuous path.

15 Claims, 8 Drawing Sheets





US010569532B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 10,569,532 B2**
(45) **Date of Patent:** **Feb. 25, 2020**

(54) **DIGITAL PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Benzion Landa, Nes Ziona (IL); **Sagi
Moskovich**, Petach Tikva (IL); **Nir
Zarmi**, Be'erotayim (IL); **Yehuda
Solomon**, Rishon LeZion (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/203,472**

(22) Filed: **Nov. 28, 2018**

(65) **Prior Publication Data**

US 2019/0168502 A1 Jun. 6, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/871,652, filed on
Jan. 15, 2018, now Pat. No. 10,179,447, which is a
(Continued)

(30) **Foreign Application Priority Data**

Sep. 11, 2013 (GB) 1316203.7

(51) **Int. Cl.**

B41J 2/005 (2006.01)
B41J 3/60 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**

CPC **B41J 2/0057** (2013.01); **B41J 2/005**
(2013.01); **B41J 3/60** (2013.01); **B41J**
2002/012 (2013.01)

(58) **Field of Classification Search**

CPC ... B41J 2/0057; B41J 2/005; B41J 3/60; B41J
2002/012

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

3,697,568 A 10/1972 Boissieras et al.
3,889,802 A 6/1975 Jonkers et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1493514 A 5/2004

(Continued)

OTHER PUBLICATIONS

IP.com search (Year: 2019).*

(Continued)

Primary Examiner — Lisa Solomon


(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57)

ABSTRACT

A printing system for printing on a substrate. In embodi-
ments, the system comprises: a movable intermediate trans-
fer member in the form of a flexible, substantially inexten-
sible, thin belt whose compressible layer has a thickness of
at most 400 micrometers, the belt being guided to follow a
closed path, an image forming station for depositing ink
droplets onto an outer surface of the belt to form an ink
image, a drying station for drying the ink image to leave an
ink residue film, first and second impression stations spaced
from one another in the direction of movement of the belt,
each impression station comprising an impression cylinder
for supporting and transporting the substrate and a pressure
cylinder carrying a thick compressible blanket for urging the
belt against the substrate supported on the impression cyl-
inder, a thickness of the compressible blanket being at least
1 mm.

12 Claims, 9 Drawing Sheets





US010562318B2

(12) **United States Patent**
Siman-Tov et al.

(10) **Patent No.:** **US 10,562,318 B2**
(45) **Date of Patent:** **Feb. 18, 2020**

(54) **METHOD AND SYSTEM FOR COMPENSATING FOR A MALFUNCTIONING NOZZLE**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

6,575,549	B1	6/2003	Silverbrook et al.
8,411,326	B2	4/2013	Inoue et al.
8,496,313	B2	7/2013	Ueshima et al.
8,646,862	B2	2/2014	Wu et al.
8,646,869	B2	2/2014	Yamazaki et al.
8,740,339	B2	6/2014	Yamazaki et al.
9,218,645	B2	12/2015	Shibata et al.
2004/0189556	A1	9/2004	Tsujino et al.
2004/0223014	A1	11/2004	Barr et al.
2005/0083361	A1	4/2005	Nakanishi et al.
2015/0258807	A1*	9/2015	Sudo B41J 2/2139 347/9
2015/0360491	A1	12/2015	Billow et al.

(72) Inventors: **Alon Siman-Tov**, Or Yehuda (IL);
Shahar Klinger, Rehovot (IL);
Mattetyahu Litvak, Tel Aviv (IL);
David Tal, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

FOREIGN PATENT DOCUMENTS

WO WO-2015029789 A1 3/2015

(21) Appl. No.: **16/181,265**

OTHER PUBLICATIONS

(22) Filed: **Nov. 5, 2018**

Co-pending U.S. Appl. No. 16/237,608, filed Dec. 31, 2018.
WO2015029789 Machine Translation (by EPO and Google)—
published Mar. 5, 2015, Fujifilm Corp.

(65) **Prior Publication Data**

US 2019/0134990 A1 May 9, 2019

Related U.S. Application Data

(60) Provisional application No. 62/581,051, filed on Nov. 3, 2017.

Primary Examiner — Julian D Huffman
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(51) **Int. Cl.**
B41J 2/21 (2006.01)
H04N 1/405 (2006.01)
H04N 1/401 (2006.01)
H04N 1/409 (2006.01)


(57) **ABSTRACT**

Embodiments of the invention relate to techniques whereby sufficient compensation is provided to counteract the deleterious effects of a malfunctioning nozzle (i.e. which might create a white streak within the printed ink image) in a manner that is faithful to/harmonious with the underlying AM or FM screening. In this manner, it is possible to minimize the negative impact a failed or malfunctioning nozzle has upon the printed ink image.

(52) **U.S. Cl.**
CPC **B41J 2/2139** (2013.01); **B41J 2/2146** (2013.01); **H04N 1/405** (2013.01); **H04N 1/409** (2013.01); **H04N 1/4015** (2013.01)

(58) **Field of Classification Search**
CPC B41J 2/2139; B41J 2/2146
See application file for complete search history.

6 Claims, 28 Drawing Sheets





US010518526B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,518,526 B2**
(45) **Date of Patent:** **Dec. 31, 2019**

(54) **APPARATUS AND METHOD FOR CONTROL OR MONITORING A PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)
(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Nir Zarmi**, Be'erotayim (IL); **Abraham Keren**, Modi'in Maccabim Reut (IL); **Alon Siman-Tov**, Or Yehuda (IL)
(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/047,033**
(22) Filed: **Jul. 27, 2018**

(65) **Prior Publication Data**
US 2019/0023000 A1 Jan. 24, 2019

Related U.S. Application Data
(63) Continuation of application No. 15/818,010, filed on Nov. 20, 2017, now Pat. No. 10,065,411, which is a (Continued)

(51) **Int. Cl.**
B41J 2/005 (2006.01)
(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01)
(58) **Field of Classification Search**
CPC **B41J 2/0057; B41J 2002/012**
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner
3,697,551 A 10/1972 Thomson
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1324901 A 12/2001
(Continued)

OTHER PUBLICATIONS


CN104618642 Machine Translation (by EPO and Google); published on May 13, 2015, Yulong Comp Comm Tech Shenzhen.
(Continued)

Primary Examiner — Huan H Tran
Assistant Examiner — Alexander D Shenderov
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

Embodiments of the present invention relate to control apparatus and methods of a printing system, for example, comprising an intermediate transfer member (ITM) and to user-related features of a printing system. Some embodiments relate to regulation of a velocity and/or tension and/or length of the ITM. Some embodiments relate to regulation of deposition of ink on the moving ITM. Some embodiments regulate to apparatus configured to alert a user of one or more events related to operation of the ITM. Some embodiments relate to a time-line GUI for visualizing and/or manipulating queued print jobs which may be employed. Some embodiments relate to a reversed augmented reality GUI for visualization and/or control of the printing system. In some embodiments, a display screen is mounted to a printer housing and/or able to control access to moving parts of a printing system.

25 Claims, 70 Drawing Sheets





US010507647B1

(12) **United States Patent**
Tal

(10) **Patent No.:** **US 10,507,647 B1**
(45) **Date of Patent:** **Dec. 17, 2019**

(54) **METHODS AND SYSTEMS FOR COMPENSATING FOR A MALFUNCTIONING NOZZLE IN A DIGITAL PRINTING SYSTEM**

8,496,313	B2	7/2013	Ueshima et al.
8,646,862	B2	2/2014	Wu et al.
8,646,869	B2	2/2014	Yamazaki et al.
8,740,339	B2	6/2014	Yamazaki et al.
9,218,645	B2	12/2015	Shibata et al.
2004/0189556	A1	9/2004	Tsujino et al.
2004/0223014	A1	11/2004	Barr et al.
2005/0083361	A1	4/2005	Nakanishi et al.
2015/0360491	A1	12/2015	Billow et al.
2019/0134990	A1	5/2019	Siman-Tov et al.

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventor: **David Tal**, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/237,608**

(22) Filed: **Dec. 31, 2018**

Related U.S. Application Data

(60) Provisional application No. 62/612,881, filed on Jan. 2, 2018.

(51) **Int. Cl.**
B41J 2/045 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/0451** (2013.01); **B41J 2/04586** (2013.01)

(58) **Field of Classification Search**
CPC .. B41J 2/0451; B41J 2/04561; B41J 2/04558; B41J 2/04586
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,575,549	B1	6/2003	Silverbrook et al.
7,289,248	B2*	10/2007	Yamazaki B41J 2/04508 347/15
8,411,326	B2	4/2013	Inoue et al.

FOREIGN PATENT DOCUMENTS

WO WO-2015029789 A1 3/2015

OTHER PUBLICATIONS

WO2015029789 Machine Translation (by EPO and Google)—published Mar. 5, 2015, Fujifilm Corp.


* cited by examiner

Primary Examiner — Think H Nguyen
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

Printing an image, using a printing system having a malfunctioning or inoperative nozzle corresponding to a column of affected positions in a half-toned digital image, includes modifying the half-toned digital image, using a pre-print digital processor of the printing system to compute a modified version of the half-toned digital image, such that droplet sizes are increased only in the two neighboring columns and according to a value of a compensation function, and printing the modified half-toned digital image on the target surface. Values of the threshold-based compensation function are based on a luminance-debt function defined by an iterative row-by-consecutive-row computation procedure, where for each iteration step the luminance-debt function is re-calculated according to data representing the ink values of affected positions and data representing the instant value of the compensation function.

9 Claims, 14 Drawing Sheets





US010477188B2

(12) **United States Patent**
Stiglic et al.

(10) **Patent No.:** **US 10,477,188 B2**

(45) **Date of Patent:** **Nov. 12, 2019**

(54) **SYSTEM AND METHOD FOR GENERATING VIDEOS**

(58) **Field of Classification Search**

CPC H04N 13/275

USPC 386/278

See application file for complete search history.

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(56) **References Cited**

(72) Inventors: **Dragan Stiglic**, Rehovot (IL); **Noam Harel**, San Francisco, CA (US)

U.S. PATENT DOCUMENTS

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

3,898,670 A 8/1975 Erikson et al.

4,009,958 A 3/1977 Kurita et al.

4,093,764 A 6/1978 Duckett et al.

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 267 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **15/434,126**

CN 104618642 A 5/2015

DE 102010060999 A1 6/2012

(Continued)

(22) Filed: **Feb. 16, 2017**

OTHER PUBLICATIONS

(65) **Prior Publication Data**

US 2017/0244956 A1 Aug. 24, 2017

Geometrical Patterns for Diagrid Buildings by Montuori, Giovanni Maria; Mele, Elena; Brandonisio, Giuseppe; De Luca, Antonello. In Engineering Structures. Jul. 15, 2014 (Year: 2014).*

(Continued)

(30) **Foreign Application Priority Data**

Feb. 18, 2016 (GB) 1602877.1

Primary Examiner — William C Vaughn, Jr.

Assistant Examiner — Daniel T Tekle

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(51) **Int. Cl.**

H04N 13/275 (2018.01)

H04N 13/156 (2018.01)

G09B 5/06 (2006.01)

G09B 9/00 (2006.01)

G11B 27/036 (2006.01)

H04N 7/18 (2006.01)

(Continued)

(57) **ABSTRACT**

A system comprising a processor configured to: provide a master Three-Dimensional (3D) scene; insert at least one source video feed into at least one position within the master 3D scene, allowing a configuration in which at least a first part of the master 3D scene is in front of the source video feed and at least a second part of the master 3D scene is behind the source video feed; and generate a combined video of the master 3D scene with the at least one source video feed inserted therein.

(52) **U.S. Cl.**

CPC **H04N 13/275** (2018.05); **G09B 5/065**

(2013.01); **G09B 9/00** (2013.01); **G11B 27/036**


(2013.01); **H04N 5/232** (2013.01); **H04N**

5/23206 (2013.01); **H04N 7/181** (2013.01);

H04N 13/156 (2018.05); **H04N 21/85**

(2013.01)

8 Claims, 16 Drawing Sheets





(12) **United States Patent
Tal**

(10) **Patent No.:** US 10,434,764 B1
(45) **Date of Patent:** Oct. 8, 2019

- (54) **YAW MEASUREMENT BY SPECTRAL ANALYSIS**
- (71) Applicant: **LANDA CORPORATION LTD.**, Rehovot (IL)
- (72) Inventor: **David Tal**, Rehovot (IL)
- (73) Assignee: **LANDA CORPORATION LTD.**, Rehovot (IL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

6,220,693	B1	4/2001	Bode et al.
6,293,196	B1	9/2001	DeMoore et al.
6,491,364	B2	12/2002	Pietrzyk
7,915,091	B2	3/2011	Chew et al.
7,988,247	B2	8/2011	Letendre et al.
8,038,284	B2	10/2011	Hori et al.
9,272,511	B2	3/2016	Menzel et al.
9,284,469	B2	3/2016	Song et al.
9,381,740	B2	7/2016	Hoisington et al.
9,539,817	B2	1/2017	Condello et al.
2002/0046670	A1	4/2002	Crystal et al.
2003/0016264	A1	1/2003	Jeanmaire
2006/0132525	A1	6/2006	Walmsley et al.
2006/0164450	A1	7/2006	Hoisington et al.

(Continued)

- (21) Appl. No.: **16/122,943**
- (22) Filed: **Sep. 6, 2018**

Related U.S. Application Data

- (60) Provisional application No. 62/554,596, filed on Sep. 6, 2017.
- (51) **Int. Cl.**
B41J 2/045 (2006.01)
- (52) **U.S. Cl.**
CPC **B41J 2/04505** (2013.01); **B41J 2/04586** (2013.01)
- (58) **Field of Classification Search**
CPC B41J 2/04505; B41J 2/04586
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,697,568	A	10/1972	Boissieras et al.
4,190,844	A	2/1980	Taylor
5,517,214	A	5/1996	Bhatia et al.
5,528,271	A	6/1996	Ebisawa et al.
5,532,314	A	7/1996	Sexsmith et al.
6,081,281	A	6/2000	Cleary et al.

FOREIGN PATENT DOCUMENTS

GB	1443679	A	7/1976
GB	2374834	A	10/2002

(Continued)

OTHER PUBLICATIONS


Co-pending U.S. Appl. No. 16/244,145, filed Jan. 10, 2019.
(Continued)

Primary Examiner — Sharon A. Polk
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

Some embodiments relate to a method of measuring a magnitude of a yaw angle of print head(s) or of a supporting print-bar thereof relative to cross-print direction. In some embodiments, a 1D-representation (1D-rep) of an ink-calibration image is transformed into the frequency domain (e.g. by FFT) characterized by peak profile. The yaw angle magnitude may be computed from relative energies of a primary and secondary peak of the peak profile of the frequency domain.

20 Claims, 21 Drawing Sheets





US010427399B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 10,427,399 B2**

(45) **Date of Patent:** ***Oct. 1, 2019**

(54) **APPARATUS FOR THREADING AN INTERMEDIATE TRANSFER MEMBER OF A PRINTING SYSTEM**

(52) **U.S. CI.**
CPC **B41J 2/0057** (2013.01); **B41J 11/007** (2013.01); **B41J 13/08** (2013.01); **B41J 15/048** (2013.01);

(Continued)

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(58) **Field of Classification Search**
CPC B41J 2/0057; B41J 15/16; B41J 11/007; B41J 13/08; B41J 15/048; B41J 2002/012; B65G 17/323; G03G 15/1615
See application file for complete search history.

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Sagi Moskovich, Petach Tikva (IL);
Zohar Goldenstein, Nes Ziona (IL);
Matan Bar-On, Hod Hasharon (IL);
Yiftach Katzir, Kibbutz Bet Guvrin (IL)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

3,697,568 A 10/1972 Boissieras et al.
3,889,802 A 6/1975 Jonkers et al.

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1809460 A 7/2006

(Continued)

(21) Appl. No.: **16/118,494**

OTHER PUBLICATIONS

(22) Filed: **Aug. 31, 2018**

"Amino Functional Silicone Polymers", in Xiameter.COPYRGT. 2009 Dow Corning Corporation.

(Continued)

(65) **Prior Publication Data**

US 2019/0084295 A1 Mar. 21, 2019

Related U.S. Application Data

Primary Examiner — Ryan D Walsh

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(63) Continuation of application No. 15/564,198, filed as application No. PCT/IB2016/052120 on Apr. 14, 2016, now Pat. No. 10,226,920.

(30) **Foreign Application Priority Data**

Apr. 14, 2015 (GB) 1506314.2

(57) **ABSTRACT**


A printing system is described that has an intermediate transfer member in the form of a seamed endless belt for transporting an ink image from an image forming station, at which an ink image is deposited on the intermediate transfer member, to an impression station, where the ink image is transferred onto a printing substrate. The belt has along its edges formations of a greater thickness than the belt. The formations are received in channels to guide the belt and

(Continued)

(51) **Int. Cl.**

B41J 2/005 (2006.01)
B41J 11/00 (2006.01)

(Continued)





(12) **United States Patent**
Tal et al.

(10) **Patent No.:** **US 10,410,100 B1**
(45) **Date of Patent:** **Sep. 10, 2019**

(54) **AM SCREENING**
(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)
(72) Inventors: **David Tal**, Rehovot (IL); **Shahar Klinger**, Rehovot (IL)
(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,839,181 A 6/1958 Renner
3,697,568 A 10/1972 Boissieras et al.
(Continued)

FOREIGN PATENT DOCUMENTS
CN 1758703 A 4/2006
EP 1111905 A2 6/2001
(Continued)

OTHER PUBLICATIONS
Aurenhammer F., et al., "Voronoi Diagrams—A Survey of a Fundamental Geometric Data Structure," ACM Computing Surveys, vol. 23 (3), Sep. 1991, pp. 345-405.
(Continued)

(21) Appl. No.: **16/191,249**
(22) Filed: **Nov. 14, 2018**

Related U.S. Application Data

(60) Provisional application No. 62/585,556, filed on Nov. 14, 2017.

Primary Examiner — Miya J Williams
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(51) **Int. Cl.**
G06K 15/02 (2006.01)
G06K 15/10 (2006.01)
B41J 2/045 (2006.01)
B41J 2/21 (2006.01)
H04N 1/52 (2006.01)
H04N 1/50 (2006.01)


(Continued)

(57) **ABSTRACT**
Apparatus and methods for printing multi-level and multi-color digital image are disclosed herein. In some embodiments, first and second level AM half-tone screens are respectively applied to first and second multi-level color-components of the multi-level and multi-color input digital image to respectively generate first and second target binary images. The first and second target binary images are printed respectively using first and second inks (e.g. of different colors) onto a common surface. Specific properties of the AM half-tone screens as well as techniques for producing the AM half-tone screens are disclosed herein. In some embodiments, the techniques overcome objectionable textures derived from rounding errors in divisional of conventional AM supercells.

(52) **U.S. Cl.**
CPC **G06K 15/1881** (2013.01); **B41J 2/04586** (2013.01); **B41J 2/21** (2013.01); **G06K 15/102** (2013.01); **G06K 15/1873** (2013.01); **H04N 1/52** (2013.01); **H04N 1/405** (2013.01); **H04N 1/4056** (2013.01); **H04N 1/4058** (2013.01); **H04N 1/50** (2013.01); **H04N 1/58** (2013.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

6 Claims, 24 Drawing Sheets



(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,357,985 B2**
(45) **Date of Patent:** **Jul. 23, 2019**

(54) **PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Aharon Shmaiser, Rishon LeZion (IL);
Itshak Ashkanazi, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/871,797**

(22) Filed: **Jan. 15, 2018**

(65) **Prior Publication Data**
US 2018/0222235 A1 Aug. 9, 2018

Related U.S. Application Data

(63) Continuation of application No. 15/439,966, filed on Feb. 23, 2017, now Pat. No. 9,914,316, which is a (Continued)

(30) **Foreign Application Priority Data**

Mar. 20, 2015 (GB) 1504719.4

(51) **Int. Cl.**
B41M 5/025 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**
CPC **B41M 5/0256** (2013.01); **B41J 2/01** (2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**
CPC B41M 5/0256; B41J 2/01; B41J 2002/012 (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner
3,697,551 A 10/1972 Thomson
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1493514 A 5/2004
(Continued)

OTHER PUBLICATIONS

JP2010228192 Machine Translation (by PlatPat English machine translation)—published Oct. 14, 2010 Fuji Xerox.


(Continued)

Primary Examiner — Huan H Tran
Assistant Examiner — Alexander D Shenderov
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

ABSTRACT

An intermediate transfer member (ITM) for use in a printing system to transport an ink image from an image forming station to an impression station for transfer of the ink image from the ITM onto a printing substrate, wherein the ITM is an endless flexible belt of substantially uniform width which, during use, passes over drive and guide rollers and is guided through at least the image forming station by means of guide channels that receive formations provided on both lateral edges of the belt, wherein the formations on a first edge differ from the formations on the second edge by being configured for providing the elasticity desired to maintain the belt taut when the belt is guided through their respective lateral channels.

24 Claims, 10 Drawing Sheets





US010357963B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,357,963 B2**
(45) **Date of Patent:** **Jul. 23, 2019**

(54) **DIGITAL PRINTING PROCESS**
(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)
(72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Yehoshua Sheinman, Ra'anana (IL);
Sagi Abramovich, Ra'anana (IL);
Galia Golodetz, Rehovot (IL); **Gregory**
Nakhmanovich, Rishon Lezion (IL);
Meir Soria, Jerusalem (IL)
(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,839,181 A 6/1958 Renner
3,697,551 A 10/1972 Thomson
(Continued)

FOREIGN PATENT DOCUMENTS
CN 1200085 A 11/1998
CN 1493514 A 5/2004
(Continued)

OTHER PUBLICATIONS
BASF, "JONCRYL 537", Datasheet, Retrieved from the internet
: Mar. 23, 2007 p. 1.
(Continued)


(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.
(21) Appl. No.: **15/708,151**
(22) Filed: **Sep. 19, 2017**

Primary Examiner — Jason S Uhlenhake
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(65) **Prior Publication Data**
US 2018/0065358 A1 Mar. 8, 2018

(57) **ABSTRACT**
A printing process is disclosed which comprises directing
droplets of an ink onto an intermediate transfer member to
form an ink image, the ink including an organic polymeric
resin and a coloring agent in an aqueous carrier, and the
transfer member having a hydrophobic outer surface so that
each ink droplet in the ink image spreads on impinging upon
the intermediate transfer member to form an ink film. The
ink is dried while the ink image is being transported by the
intermediate transfer member by evaporating the aqueous
carrier from the ink image to leave a residue film of resin and
coloring agent. The residue film is then transferred to a
substrate. The chemical compositions of the ink and of the
surface of the intermediate transfer member are selected
such that attractive intermolecular forces between molecules
in the outer skin of each droplet and on the surface of the
intermediate transfer member counteract the tendency of the
ink film produced by each droplet to bead under the action
of the surface tension of the aqueous carrier, without causing
(Continued)

Related U.S. Application Data
(63) Continuation of application No. 15/175,275, filed on
Jun. 7, 2016, now Pat. No. 9,776,391, which is a
(Continued)
(51) **Int. Cl.**
B41J 2/00 (2006.01)
B41M 5/025 (2006.01)
(Continued)
(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41M 5/0256**
(2013.01); **B41M 5/03** (2013.01); **B41N 10/00**
(2013.01)
(58) **Field of Classification Search**
CPC B41J 2/0057; B41M 5/0256; B41M 5/03
See application file for complete search history.





US010300690B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,300,690 B2**

(45) **Date of Patent:** ***May 28, 2019**

(54) **INK FILM CONSTRUCTIONS**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Galia Golodetz**, Rehovot (IL); **Gregory Nakhmanovich**, Rishon Lezion (IL); **Alon Asher**, Tel Aviv (IL); **Mattetyahu Litvak**, Tel Aviv (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 161 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/083,204**

(22) Filed: **Mar. 28, 2016**

(65) **Prior Publication Data**

US 2016/0297190 A1 Oct. 13, 2016

Related U.S. Application Data

(63) Continuation of application No. 14/382,875, filed as application No. PCT/IB2013/000822 on Mar. 5, 2013, now Pat. No. 9,327,496.
(Continued)

(51) **Int. Cl.**
B41J 2/01 (2006.01)
B41M 5/03 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **B41J 2/01** (2013.01);
B32B 3/10 (2013.01); **B32B 5/02** (2013.01);
B41M 5/0256 (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC ... B41J 2/01; B41J 2/211; B41J 2/1433; B41J 2/17; B41J 2/17593; B41J 2/2107;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner
3,697,551 A 10/1972 Thomson
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1324901 A 12/2001
(Continued)

OTHER PUBLICATIONS


JP H06100807 Machine Translation (by EPO and Google)—
published Apr. 12, 1994; Seiko Instr Inc.
(Continued)

Primary Examiner — Manish S Shah

(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

(57) **ABSTRACT**

An ink film construction including: (a) a first printing substrate selected from the group consisting of an uncoated fibrous printing substrate, a commodity coated fibrous printing substrate, and a plastic printing substrate; and (b) an ink dot set contained within a square geometric projection projecting on the first printing substrate, the ink dot set containing at least 10 distinct ink dots, fixedly adhered to a surface of the first printing substrate, all the ink dots within the square geometric projection being counted as individual members of the set, each of the ink dots containing at least one colorant dispersed in an organic polymeric resin, each of the dots having an average thickness of less than 2,000 nm, and a diameter of 5 to 300 micrometers; each ink dot of the ink dots having a generally convex shape in which a
(Continued)





US010266711B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,266,711 B2**

(45) **Date of Patent:** ***Apr. 23, 2019**

(54) **INK FILM CONSTRUCTIONS**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Galia Golodetz**, Rehovot (IL); **Gregory Nakhmanovich**, Rishon Lezion (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 178 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/082,065**

(22) Filed: **Mar. 28, 2016**

(65) **Prior Publication Data**

US 2016/0297978 A1 Oct. 13, 2016

Related U.S. Application Data

(63) Continuation of application No. 14/382,869, filed as application No. PCT/IB2013/000840 on Mar. 5, 2013, now Pat. No. 9,353,273.

(Continued)

(51) **Int. Cl.**

B41J 2/005 (2006.01)

C09D 11/30 (2014.01)

(Continued)

(52) **U.S. Cl.**

CPC **C09D 11/30** (2013.01); **B32B 3/10** (2013.01); **B32B 5/02** (2013.01); **B41F 16/0006** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC C09D 11/36; C09D 11/40; C09D 11/30; C09D 11/38; C09D 11/32; C09D 11/322;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner

3,697,551 A 10/1972 Thomson

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998

CN 1324901 A 12/2001

(Continued)

OTHER PUBLICATIONS

"Solubility of Alcohol", in <http://www.solubilityofthings.com/water/alcohol/>; downloaded on Nov. 30, 2017.

(Continued)


Primary Examiner — Manish S Shah

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

An ink film construction including: (a) a printing substrate; and (b) at least one ink film, fixedly adhered to a top surface of the printing substrate, the ink film having an upper film surface distal to the top surface of the substrate, wherein a surface concentration of nitrogen at the upper film surface exceeds a bulk concentration of nitrogen within the film, the bulk concentration measured at a depth of at least 30 nanometers below the upper film surface, and wherein a ratio of the surface concentration to the bulk concentration is at least 1.1 to 1.

15 Claims, 27 Drawing Sheets





US010259245B2

(12) **United States Patent**
Karlinski et al.

(10) **Patent No.:** **US 10,259,245 B2**
(45) **Date of Patent:** **Apr. 16, 2019**

(54) **INDIRECT INKJET PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Haggai Karlinski**, Ramat Gan (IL);
Alon Siman-Tov, Or Yehuda (IL);
Yehoshua Sheinman, Ra'anana (IL);
Daniel Alkhanati, Nes Ziona (IL);
Elad Pur Buchray, Nes Ziona (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/741,897**

(22) PCT Filed: **May 25, 2016**

(86) PCT No.: **PCT/IB2016/053049**

§ 371 (c)(1),
(2) Date: **Jan. 4, 2018**

(87) PCT Pub. No.: **WO2017/009722**

PCT Pub. Date: **Jan. 19, 2017**

(65) **Prior Publication Data**
US 2018/0201038 A1 Jul. 19, 2018

(30) **Foreign Application Priority Data**
Jul. 10, 2015 (GB) 1512145.2

(51) **Int. Cl.**
B41J 29/377 (2006.01)
B41J 2/005 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **B41J 29/377** (2013.01); **B41J 2/0057**
(2013.01); **B41J 2/01** (2013.01); **B41J**
2/16517 (2013.01);

(Continued)

(58) **Field of Classification Search**
CPC **B41J 2202/02**; **B41J 2/1714**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,190,844 A * 2/1980 Taylor **B41J 2/09**
347/82

5,517,214 A 5/1996 Bhatia et al.
(Continued)

FOREIGN PATENT DOCUMENTS

GB 1443679 A 7/1976
GB 2374834 A 10/2002

(Continued)

OTHER PUBLICATIONS

Co-pending U.S. Appl. No. 16/122,943, filed Sep. 6, 2018.


Primary Examiner — Shelby L Fidler

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

ABSTRACT

A manifold is disclosed for introducing gas into a gap between a print head and an intermediate transfer member (ITM) of an indirect inkjet printing system. The manifold has a first gas flow path terminating in a first discharge mouth for delivering a continuous low speed gas stream and a second separate gas flow path terminating in a second discharge mouth, vertically spaced from the first discharge mouth, for intermittently delivering into the gap a high speed gas stream.

20 Claims, 5 Drawing Sheets





US010226920B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 10,226,920 B2**

(45) **Date of Patent:** **Mar. 12, 2019**

(54) **APPARATUS FOR THREADING AN INTERMEDIATE TRANSFER MEMBER OF A PRINTING SYSTEM**

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41J 11/007** (2013.01); **B41J 13/08** (2013.01); **B41J 15/048** (2013.01);

(Continued)

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(58) **Field of Classification Search**
CPC B41J 2/0057; B41J 15/16; B41J 11/007; B41J 13/08; B41J 15/048; B41J 2002/012; B65G 17/323; G03G 15/1615
See application file for complete search history.

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Sagi Moskovich, Petach Tikva (IL);
Zohar Goldenstein, Nes Ziona (IL);
Matan Bar-On, Hod Hasharon (IL);
Yiftach Katzir, Kibbutz Bet Guvrin (IL)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

2,839,181 A 6/1958 Renner
3,697,551 A 10/1972 Thomson
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **15/564,198**

CN 1493514 A 5/2004
CN 1720187 A 1/2006
(Continued)

(22) PCT Filed: **Apr. 14, 2016**

OTHER PUBLICATIONS

(86) PCT No.: **PCT/IB2016/052120**

BASF, "JONCRYL 537", Datasheet, Retrieved from the Internet :
Mar. 23, 2007 p. 1.

§ 371 (c)(1),

(2) Date: **Oct. 4, 2017**

(Continued)

(87) PCT Pub. No.: **WO2014/166690**

Primary Examiner — Ryan D Walsh

PCT Pub. Date: **Oct. 20, 2016**

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(65) **Prior Publication Data**

US 2018/0126726 A1 May 10, 2018

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Apr. 14, 2015 (GB) 1506314.2

A printing system is described that has an intermediate transfer member in the form of a seamed endless belt for transporting an ink image from an image forming station, at which an ink image is deposited on the intermediate transfer member, to an impression station, where the ink image is transferred onto a printing substrate. The belt has along its edges formations of a greater thickness than the belt. The formations are received in channels to guide the belt and


(Continued)

(51) **Int. Cl.**

G03G 15/16 (2006.01)

B41J 2/005 (2006.01)

(Continued)





US010214038B2

(12) **United States Patent**
Klinger et al.

(10) **Patent No.:** **US 10,214,038 B2**

(45) **Date of Patent:** **Feb. 26, 2019**

(54) **PRINTING SYSTEM AND METHOD**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Shahar Klinger**, Rehovot (IL); **David Tal**, Rehovot (IL); **Alon Siman-Tov**, Or Yehuda (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/541,478**

(22) PCT Filed: **Jan. 14, 2016**

(86) PCT No.: **PCT/IB2016/050170**

§ 371 (c)(1),

(2) Date: **Jul. 4, 2017**

(87) PCT Pub. No.: **WO2016/113698**

PCT Pub. Date: **Jul. 21, 2016**

(65) **Prior Publication Data**

US 2018/0022131 A1 Jan. 25, 2018

(30) **Foreign Application Priority Data**

Jan. 15, 2015 (GB) 1500683.6

(51) **Int. Cl.**

B41J 29/393 (2006.01)

H04N 1/401 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **B41J 29/393** (2013.01); **G06T 7/0004** (2013.01); **H04N 1/4015** (2013.01); **H04N 1/6041** (2013.01); **G06T 2207/30144** (2013.01)

(58) **Field of Classification Search**

CPC **B41J 2/2135**; **B41J 2/2146**; **B41J 29/393**; **H04N 1/6033**; **H04N 1/1903**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,390,583 B1 5/2002 Kato et al.
6,755,496 B2 6/2004 Nishikori et al.
(Continued)

FOREIGN PATENT DOCUMENTS

GB 2534186 A 7/2016
JP 2009/137251 A 6/2009
(Continued)

OTHER PUBLICATIONS

JP 2011/164622 Machine Translation (by EPO and Google)—
published Aug. 25, 2011; Toshiba.

(Continued)

Primary Examiner — Sharon A Polk


(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

(57) **ABSTRACT**

Some embodiments relate to a digital printing system and method for depositing ink droplets onto a target surface in dependence upon a received electrical printing signal containing data indicating the desired image to be printed while improving the uniformity of intended tone reproduction of the printed image.

6 Claims, 24 Drawing Sheets

During Calibration





US010201968B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,201,968 B2**
(45) **Date of Patent:** **Feb. 12, 2019**

(54) **ENDLESS FLEXIBLE BELT FOR A PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Aharon Shmaiser**, Rishon LeZion (IL); **Rami Keller**, Tel Aviv (IL); **Itshak Ashkanazi**, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/790,026**

(22) Filed: **Oct. 22, 2017**

(65) **Prior Publication Data**
US 2018/0117906 A1 May 3, 2018

Related U.S. Application Data

(63) Continuation of application No. 15/345,238, filed on Nov. 7, 2016, now Pat. No. 9,849,667, which is a continuation of application No. 14/382,759, filed as application No. PCT/IB2013/051719 on Mar. 5, 2013, now Pat. No. 9,517,618.
(Continued)

(51) **Int. Cl.**
B41J 2/005 (2006.01)

(52) **U.S. Cl.**
CPC .. **B41J 2/0057** (2013.01); **G03G 2215/00147** (2013.01); **G03G 2215/00151** (2013.01)

(58) **Field of Classification Search**

CPC . B41J 11/007; B41J 1/30; B41J 2/0057; B41J 2/22; B41J 2/315; B41J 347/103; B41J 2002/012; B41J 17/28; B41J 17/30; B65H 5/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A * 6/1958 Renner A44B 19/14 198/819
3,697,551 A 10/1972 Thomson
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1720187 A 1/2006
CN 1261831 C 6/2006
(Continued)

OTHER PUBLICATIONS

DE 102010060999 Machine Translation (by EPO and Google)—
published Jun. 6, 2012; Wolf, Roland, Dr.-Ing.
(Continued)

Primary Examiner — Geoffrey S Mruk


Assistant Examiner — Scott A Richmond

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

A flexible belt is disclosed for use in a printing system. The belt comprises an endless strip which, in use, travels along a continuous path. Formations are provided along the sides of the strip which are capable of engaging with lateral tracks to place the belt under lateral tension, the lateral tracks further serving to constrain the belt to follow the continuous path.

17 Claims, 8 Drawing Sheets





(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,190,012 B2**
(45) **Date of Patent:** **Jan. 29, 2019**

(54) **TREATMENT OF RELEASE LAYER AND INKJET INK FORMULATIONS**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Gregory Nakhmanovich, Rishon
LeZion (IL); **Galia Golodetz**, Rehovot
(IL); **Sagi Abramovich**, Ra'anana (IL);
Yehoshua Sheinman, Ra'anana (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 40 days.

(21) Appl. No.: **15/182,539**

(22) Filed: **Jun. 14, 2016**

(65) **Prior Publication Data**
US 2016/0369119 A1 Dec. 22, 2016

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/382,881,
filed as application No. PCT/IB2013/051755 on Mar.
(Continued)

(51) **Int. Cl.**
C09D 11/54 (2014.01)
C09D 11/322 (2014.01)
(Continued)

(52) **U.S. Cl.**
CPC **C09D 11/54** (2013.01); **B41J 2/01**
(2013.01); **C09D 11/033** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC C09D 11/033; C09D 11/54; Y10T
428/31721; Y10T 428/31725
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,697,551 A 10/1972 Thomson et al.
4,293,866 A 10/1981 Takita et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1200085 A 11/1998
CN 1809460 A 7/2006
(Continued)

OTHER PUBLICATIONS

Supplemental European Search Report for EP 13757427.3 dated
Mar. 12, 2015.

(Continued)


Primary Examiner — Betelhem Shewareged

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

Aqueous inkjet ink formulations comprising a solvent including water and a co-solvent, a water soluble or water dispersible polymeric resin and a colorant, and a method for facilitating the use of such an aqueous inkjet ink in an indirect printing system in which the ink is jetted onto a hydrophobic release layer of an intermediate transfer member before having the solvent removed therefrom and being transferred to a substrate, wherein prior to the jetting of the ink the release layer is brought into contact with an aqueous solution of a positively charged polymeric chemical agent. Other aspects are also described.

20 Claims, 8 Drawing Sheets





US010179447B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 10,179,447 B2**
(45) **Date of Patent:** **Jan. 15, 2019**

(54) **DIGITAL PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Benzion Landa, Nes Ziona (IL); **Sagi**
Moskovich, Petach Tikva (IL); **Nir**
Zarmi, Be'erotayim (IL); **Yehuda**
Solomon, Rishon LeZion (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/871,652**

(22) Filed: **Jan. 15, 2018**

(65) **Prior Publication Data**
US 2018/0134031 A1 May 17, 2018

Related U.S. Application Data

(63) Continuation of application No. 15/287,585, filed on
Oct. 6, 2016, now Pat. No. 9,902,147, which is a
(Continued)

Foreign Application Priority Data

Sep. 11, 2013 (GB) 1316203.7

(51) **Int. Cl.**
B41J 2/005 (2006.01)
B41J 3/60 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41J 2/005**
(2013.01); **B41J 3/60** (2013.01); **B41J**
2002/012 (2013.01)

(58) **Field of Classification Search**

CPC B41J 2/0057; B41J 3/60; B41J 2002/012
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner
3,697,551 A 10/1972 Thomson
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1720187 A 1/2006
CN 1261831 C 6/2006
(Continued)

OTHER PUBLICATIONS

IP.com search (Year: 2018).*

(Continued)


Primary Examiner — Lisa Solomon

(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

(57) **ABSTRACT**

A printing system for printing on a substrate, comprises a
movable intermediate transfer member in the form of a
flexible, substantially inextensible, belt guided to follow a
closed path, an image forming station for depositing droplets
of a liquid ink onto an outer surface of the belt to form an
ink image, a drying station for drying the ink image on the
belt to leave an ink residue film on the outer surface of the
belt, first and second impression stations spaced from one
another in the direction of movement of the belt, each
impression station comprising an impression cylinder for
supporting and transporting the substrate and a pressure
cylinder carrying a compressible blanket for urging the belt
against the substrate supported on the impression cylinder,
and a transport system for transporting the substrate from the
first impression station to the second impression station. The
pressure cylinder of at least the first impression station is
movable between a first position in which the belt is urged

(Continued)





US010065411B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 10,065,411 B2**
(45) **Date of Patent:** **Sep. 4, 2018**

(54) **APPARATUS AND METHOD FOR CONTROL OR MONITORING A PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Nir Zarmi**, Be'erotayim (IL); **Abraham Keren**, Modi'in Maccabim Reut (IL); **Alon Siman-Tov**, Or Yehuda (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/818,010**

(22) Filed: **Nov. 20, 2017**

(65) **Prior Publication Data**

US 2018/0154628 A1 Jun. 7, 2018

Related U.S. Application Data

(63) Continuation of application No. 15/289,210, filed on Oct. 10, 2016, now Pat. No. 9,884,479, which is a continuation of application No. 14/860,776, filed on Sep. 22, 2015, now Pat. No. 9,498,946, which is a continuation-in-part of application No. 14/382,880, filed as application No. PCT/IB2013/051727 on Mar. 5, 2013, now Pat. No. 9,186,884, which is a continuation-in-part of application No. PCT/IB2013/050245, filed on Jan. 10, 2013, which is a continuation of application No. PCT/IB2012/056100, filed on Nov. 1, 2012, said
(Continued)

(51) **Int. Cl.**
B41J 2/005 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01)

(58) **Field of Classification Search**
CPC B41J 2/0057; B41J 2002/012
USPC 347/103
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,898,670 A 8/1975 Erikson et al.
5,365,324 A 11/1994 Gu et al.
(Continued)

FOREIGN PATENT DOCUMENTS

WO WO9307000 A1 5/2013

Primary Examiner — Huan Tran


Assistant Examiner — Alexander D Shenderov

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

Embodiments of the present invention relate to control apparatus and methods of a printing system, for example, comprising an intermediate transfer member (ITM) and to user-related features of a printing system. Some embodiments relate to regulation of a velocity and/or tension and/or length of the ITM. Some embodiments relate to regulation of deposition of ink on the moving ITM. Some embodiments regulate to apparatus configured to alert a user of one or more events related to operation of the ITM. Some embodiments relate to a time-line GUI for visualizing and/or manipulating queued print jobs which may be employed. Some embodiments relate to a reversed augmented reality GUI for visualization and/or control of the printing system. In some embodiments, a display screen is mounted to a printer housing and/or able to control access to moving parts of a printing system.

4 Claims, 70 Drawing Sheets





(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D750,165 S**
(45) **Date of Patent:** **** Feb. 23, 2016**

(54) **MONITORING STATION FOR A PRINTING SYSTEM**

FOREIGN PATENT DOCUMENTS

JP D1525000 * 6/2015

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

OTHER PUBLICATIONS

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/461,584 [Design U.S. Appl. No. 29/461,584, filed Jul. 25, 2014] —PRV Interpat search report mailed Jul. 24, 2013.

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

Primary Examiner — Bridget L Eland
Assistant Examiner — Lauren McVey

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(21) Appl. No.: **29/466,010**

(57) **CLAIM**

(22) Filed: **Sep. 4, 2013**

The ornamental design for a monitoring station for a printing system, as shown and described.

DESCRIPTION

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/461,584, filed on Jul. 25, 2013, now Pat. No. Des. 742,451.

(51) **LOC (10) Cl.** **18-02**

(52) **U.S. Cl.**
USPC **D18/53**

(58) **Field of Classification Search**

USPC D18/53, 56, 59, 36, 38, 39, 40, 41, 45;
D14/301, 304, 305, 307; 399/16, 75,
399/81, 131, 151, 361, 365, 367, 381–385,
399/388

CPC ... G06K 15/12; G06K 15/14; H04N 1/00204;
H04N 1/00249; H04N 1/00278

See application file for complete search history.

FIG. 1 is a front view of a monitoring station for a printing system showing our new design; FIG. 2 is a back view of the monitoring station for a printing system shown in FIG. 1; FIG. 3 is a right view of the monitoring station for a printing system shown in FIG. 1; FIG. 4 is a left view of the monitoring station for a printing system shown in FIG. 1; FIG. 5 is a top view of the monitoring station for a printing system shown in FIG. 1; FIG. 6 is a bottom view of the monitoring station for a printing system shown in FIG. 1; FIG. 7 is a first perspective view of the monitoring station for a printing system shown in FIG. 1; and, FIG. 8 is a second perspective view thereof, shown in FIG. 1 in an environment.

The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.



(56) **References Cited**

U.S. PATENT DOCUMENTS

D187,922 S * 5/1960 Woods D13/163
D194,463 S * 1/1963 Jagger D18/53
D218,434 S * 8/1970 Graham et al. D14/305

(Continued)

1 Claim, 8 Drawing Sheets





US00D742451S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D742,451 S**

(45) **Date of Patent:** **** Nov. 3, 2015**

(54) **MONITORING STATION FOR A PRINTING SYSTEM**

- (71) Applicant: **LANDA CORPORATION LTD.,**
Rehovot (IL)
- (72) Inventors: **Benzion Landa,** Nes Ziona (IL); **Elisha Avram Tal,** Harey Yehuda (IL); **Eitan Sharif,** Kibbutz Gesher-Haziv (IL)
- (73) Assignee: **LANDA CORPORATION LTD.,**
Rehovot (IL)

(**) Term: **14 Years**

(21) Appl. No.: **29/461,584**

(22) Filed: **Jul. 25, 2013**

(51) **LOC (10) Cl.** **18-02**

(52) **U.S. Cl.**

USPC **D18/53**

(58) **Field of Classification Search**

USPC D18/53, 56, 59, 36, 38, 39, 40, 41, 45;
D14/301, 307, 305; 399/16, 75, 81,
399/131, 151, 361, 365, 367, 381–385, 388
CPC ... G06K 15/12; G06K 15/14; H04N 1/00204;
H04N 1/00249; H04N 1/00278

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D194,463	S	*	1/1963	Jagger et al.	D18/53
D218,434	S	*	8/1970	Graham et al.	D14/305
4,113,331	A	*	9/1978	Derdzinski et al.	312/198
D250,954	S	*	1/1979	Knodt et al.	D18/53
D251,666	S	*	4/1979	Coon	D14/305
D693,401	S	*	11/2013	Landa et al.	D18/53
D694,320	S	*	11/2013	Landa et al.	D18/53
D694,818	S	*	12/2013	Landa et al.	D18/53
D694,819	S	*	12/2013	Landa et al.	D18/53
D694,820	S	*	12/2013	Landa et al.	D18/53
D694,821	S	*	12/2013	Landa et al.	D18/53
D695,822	S	*	12/2013	Landa et al.	D18/53

OTHER PUBLICATIONS

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/461,584 [design U.S. Appl. No. 29/461,584, filed Jul. 25, 2014]—PRV Interpat search report mailed Jul. 24, 2013.

* cited by examiner

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Marc Van Dyke;



(57) **CLAIM**

The ornamental design for a monitoring station for a printing system, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a monitoring station for a printing system showing our new design;
 FIG. 2 is a back view of the monitoring station for a printing system shown in FIG. 1;
 FIG. 3 is a right view of the monitoring station for a printing system shown in FIG. 1;
 FIG. 4 is a left view of the monitoring station for a printing system shown in FIG. 1;
 FIG. 5 is a top view of the monitoring station for a printing system shown in FIG. 1;
 FIG. 6 is a bottom view of the monitoring station for a printing system shown in FIG. 1;
 FIG. 7 is a first perspective view of the monitoring station for a printing system shown in FIG. 1; and,
 FIG. 8 is a second perspective view of the monitoring station for a printing system shown in FIG. 1 in an environment.
 The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 8 Drawing Sheets





US00D695822S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D695,822 S**

(45) **Date of Patent:** **** Dec. 17, 2013**

(54) **PRINTER**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

EM 002121681-0004 * 10/2012
EM 002121681-0009 * 10/2012

OTHER PUBLICATIONS

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,654, filed Apr. 30, 2012—search report mailed Sep. 7, 2012.

(**) Term: **14 Years**

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,659, filed Apr. 30, 2012—search report mailed Sep. 7, 2012.

(21) Appl. No.: **29/419,668**

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,665, filed Apr. 30, 2012—search report mailed Sep. 7, 2012.

(22) Filed: **Apr. 30, 2012**

(51) **LOC (9) Cl.** **18-02**

(Continued)

(52) **U.S. Cl.**

USPC **D18/53**

(58) **Field of Classification Search**

USPC D18/53, 50, 55, 56, 59, 36–39, 46–49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* —

Marc Van Dyke

See application file for complete search history.

(57)

CLAIM

The ornamental design for a printer, as shown and described.

DESCRIPTION

(56)


References Cited

U.S. PATENT DOCUMENTS

D236,378	S	*	8/1975	Yanofsky	D18/38
D236,379	S	*	8/1975	Yanofsky	D18/38
D250,952	S	*	1/1979	Spowart et al.	D18/53
5,103,730	A	*	4/1992	Sarda	101/425
D357,499	S	*	4/1995	Karafuji et al.	D18/53
D357,934	S	*	5/1995	Karafuji et al.	D18/53
D412,525	S	*	8/1999	Tachibana et al.	D18/53
D416,572	S	*	11/1999	Ishida et al.	D18/53
D453,785	S	*	2/2002	Grossmann	D18/48
D621,442	S	*	8/2010	Kachi et al.	D18/39
D650,417	S	*	12/2011	Brown et al.	D18/53
D663,768	S	*	7/2012	Yanagisawa et al.	D18/53
D673,212	S	*	12/2012	Okamoto	D18/53

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US00D694821S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D694,821 S**

(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **PRINTER**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

EM 002121681-0006 * 10/2012
EM 002121681-0008 * 10/2012

OTHER PUBLICATIONS

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

USPTO office action for U.S. Appl. No. 29/419,654—office action mailed on Mar. 8, 2013.

(**) Term: **14 Years**

USPTO office action for U.S. Appl. No. 29/419,659—office action mailed on Mar. 11, 2013.

(21) Appl. No.: **29/419,875**

USPTO office action for U.S. Appl. No. 29/419,665—office action mailed on Mar. 14, 2013.

(22) Filed: **May 2, 2012**

USPTO office action for U.S. Appl. No. 29/419,668—office action mailed on Mar. 8, 2013.

(51) **LOC (9) Cl.** **18-02**

USPTO office action for U.S. Appl. No. 29/419,873—office action mailed on Mar. 11, 2013.

(52) **U.S. Cl.**

(Continued)

USPC **D18/53**

(58) **Field of Classification Search**

Primary Examiner — Bridget L Eland

USPC D18/53, 50, 55, 56, 59, 36–39, 46–49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361

(74) *Attorney, Agent, or Firm* —

Marc Van Dyke

See application file for complete search history.

(57)

CLAIM

The ornamental design for a printer, as shown and described.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,378	S	*	8/1975	Yanofski	D18/38
D236,379	S	*	8/1975	Yanofsky	D18/38
D250,952	S	*	1/1979	Spowart et al.	D18/53
5,103,730	A	*	4/1992	Sarda	101/425
D357,499	S	*	4/1995	Karafuji et al.	D18/53
D357,934	S	*	5/1995	Karafuji et al.	D18/53
D412,525	S	*	8/1999	Tachibana et al.	D18/53
D416,572	S	*	11/1999	Ishida et al.	D18/53
D453,785	S	*	2/2002	Grossmann	D18/48
D621,442	S	*	8/2010	Kachi et al.	D18/39
D650,417	S	*	12/2011	Brown et al.	D18/53
D663,768	S	*	7/2012	Yanagisawa et al.	D18/53
D673,212	S	*	12/2012	Okamoto	D18/53

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US00D694820S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D694,820 S**

(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **PRINTER**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

EM 002121681-0005 * 10/2012
EM 002121681-0008 * 10/2012

OTHER PUBLICATIONS

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

USPTO office action for U.S. Appl. No. 29/419,654—office action mailed on Mar. 8, 2013.

(**) Term: **14 Years**

USPTO office action for U.S. Appl. No. 29/419,659—office action mailed on Mar. 11, 2013.

(21) Appl. No.: **29/419,873**

USPTO office action for U.S. Appl. No. 29/419,665—office action mailed on Mar. 14, 2013.

(22) Filed: **May 2, 2012**

USPTO office action for U.S. Appl. No. 29/419,668—office action mailed on Mar. 8, 2013.

(51) **LOC (9) Cl.** **18-02**

USPTO office action for U.S. Appl. No. 29/419,675—office action mailed on Mar. 14, 2013.

(52) **U.S. Cl.**

(Continued)

USPC **D18/53**

Primary Examiner — Bridget L Eland

(58) **Field of Classification Search**

(74) *Attorney, Agent, or Firm* —

Marc Van Dyke

USPC D18/53, 50, 55, 56, 59, 36–39, 46–49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361

(57) **CLAIM**

The ornamental design for an printer, as shown and described.

See application file for complete search history.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,378	S	*	8/1975	Yanofsky	D18/38
D236,379	S	*	8/1975	Yanofsky	D18/38
D250,952	S	*	1/1979	Spowart et al.	D18/53
5,103,730	A	*	4/1992	Sarda	101/425
D357,499	S	*	4/1995	Karafuji et al.	D18/53
D357,934	S	*	5/1995	Karafuji et al.	D18/53
D412,525	S	*	8/1999	Tachibana et al.	D18/53
D416,572	S	*	11/1999	Ishida et al.	D18/53
D453,785	S	*	2/2002	Grossmann	D18/48
D621,442	S	*	8/2010	Kachi et al.	D18/39
D650,417	S	*	12/2011	Brown et al.	D18/53
D663,768	S	*	7/2012	Yanagisawa et al.	D18/53
D673,212	S	*	12/2012	Okamoto	D18/53

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US00D694819S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D694,819 S**

(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **PRINTER**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

EM 002121681-0003 * 10/2012
EM 002121681-0009 * 10/2012

OTHER PUBLICATIONS

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

USPTO office action for U.S. Appl. No. 29/419,654—office action mailed on Mar. 8, 2013.

(**) Term: **14 Years**

USPTO office action for U.S. Appl. No. 29/419,659—office action mailed on Mar. 11, 2013.

(21) Appl. No.: **29/419,665**

USPTO office action for U.S. Appl. No. 29/419,668—office action mailed on Mar. 8, 2013.

(22) Filed: **Apr. 30, 2012**

USPTO office action for U.S. Appl. No. 29/419,873—office action mailed on Mar. 11, 2013.

(51) **LOC (9) Cl.** **18-02**

USPTO office action for U.S. Appl. No. 29/419,875—office action mailed on Mar. 14, 2013.

(52) **U.S. Cl.**

(Continued)

USPC **D18/53**

Primary Examiner — Bridget L Eland

(58) **Field of Classification Search**

(74) *Attorney, Agent, or Firm* —

USPC D18/53, 50, 55, 56, 59, 36–39, 46–49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361

Van Dyke

Marc

See application file for complete search history.

(57)

CLAIM

The ornamental design for a printer, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

D236,378	S	*	8/1975	Yanofski	D18/38
D236,379	S	*	8/1975	Yanofsky	D18/38
D250,952	S	*	1/1979	Spowart et al.	D18/53
5,103,730	A	*	4/1992	Sarda	101/425
D357,499	S	*	4/1995	Karafuji et al.	D18/53
D357,934	S	*	5/1995	Karafuji et al.	D18/53
D412,525	S	*	8/1999	Tachibana et al.	D18/53
D416,572	S	*	11/1999	Ishida et al.	D18/53
D453,785	S	*	2/2002	Grossmann	D18/48
D621,442	S	*	8/2010	Kachi et al.	D18/39
D650,417	S	*	12/2011	Brown et al.	D18/53
D663,768	S	*	7/2012	Yanagisawa et al.	D18/53
D673,212	S	*	12/2012	Okamoto	D18/53

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US00D694818S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D694,818 S**

(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **PRINTER**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

EM 002121681-0002 * 10/2012
EM 002121681-0010 * 10/2012

OTHER PUBLICATIONS

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,654 [US design patent application filed Apr. 30, 2012]—search report mailed Sep. 7, 2012.

(**) Term: **14 Years**

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,659 [US design patent application filed Apr. 30, 2012]—search report mailed Sep. 7, 2012.

(21) Appl. No.: **29/419,659**

(22) Filed: **Apr. 30, 2012**

(51) **LOC (9) Cl.** **18-02**

(Continued)

(52) **U.S. Cl.**

USPC **D18/53**

(58) **Field of Classification Search**

USPC D18/53, 50, 55, 56, 59, 36–39, 46–49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361

See application file for complete search history.

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* —
Van Dyke

Marc

(57) **CLAIM**

The ornamental design for a printer, as shown and described.

DESCRIPTION



(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,378	S	*	8/1975	Yanofsky	D18/38
D236,379	S	*	8/1975	Yanofsky	D18/38
D250,952	S	*	1/1979	Spowart et al.	D18/53
5,103,730	A	*	4/1992	Sarda	101/425
D357,499	S	*	4/1995	Karafuji et al.	D18/53
D357,934	S	*	5/1995	Karafuji et al.	D18/53
D412,525	S	*	8/1999	Tachibana et al.	D18/53
D416,572	S	*	11/1999	Ishida et al.	D18/53
D453,785	S	*	2/2002	Grossmann	D18/48
D621,442	S	*	8/2010	Kachi et al.	D18/39
D650,417	S	*	12/2011	Brown et al.	D18/53
D663,768	S	*	7/2012	Yanagisawa et al.	D18/53
D673,212	S	*	12/2012	Okamoto	D18/53

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US00D694320S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D694,320 S**

(45) **Date of Patent:** **** Nov. 26, 2013**

(54) **PRINTER**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

EM 002121681-0001 * 10/2012
EM 002121681-0010 * 10/2012

OTHER PUBLICATIONS

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,654 [US design patent application filed Apr. 30, 2012]—search report mailed Sep. 7, 2012.

(**) Term: **14 Years**

PRV Interpat (Swedish patent office consultancy services) Search Report for drawings of Design U.S. Appl. No. 29/419,659 [US design patent application filed Apr. 30, 2012]—search report mailed Sep. 7, 2012.

(21) Appl. No.: **29/419,654**

(22) Filed: **Apr. 30, 2012**

(51) **LOC (9) Cl.** **18-02**

(52) **U.S. Cl.**

USPC **D18/53**

(58) **Field of Classification Search**

USPC D18/53, 50, 55, 56, 59, 36–39, 46–49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361

See application file for complete search history.

(Continued)

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* —
Van Dyke

Marc

(57) **CLAIM**

The ornamental design for a printer, as shown and described.

DESCRIPTION



(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,378	S	*	8/1975	Yanofsky	D18/38
D236,379	S	*	8/1975	Yanofsky	D18/38
D250,952	S	*	1/1979	Spowart et al.	D18/53
5,103,730	A	*	4/1992	Sarda	101/425
D357,499	S	*	4/1995	Karafuji et al.	D18/53
D357,934	S	*	5/1995	Karafuji et al.	D18/53
D412,525	S	*	8/1999	Tachibana et al.	D18/53
D416,572	S	*	11/1999	Ishida et al.	D18/53
D453,785	S	*	2/2002	Grossmann	D18/48
D621,442	S	*	8/2010	Kachi et al.	D18/39
D650,417	S	*	12/2011	Brown et al.	D18/53
D663,768	S	*	7/2012	Yanagisawa et al.	D18/53
D673,212	S	*	12/2012	Okamoto	D18/53

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US00D693401S

(12) **United States Design Patent**
Landa et al.

(10) **Patent No.:** **US D693,401 S**

(45) **Date of Patent:** **** Nov. 12, 2013**

(54) **PRINTER**

(71) Applicant: **Landa Corporation Limited**, Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Elisha Avram Tal**, Harey Yehuda (IL); **Eitan Sharif**, Kibbutz Gesher-Haziv (IL)

(73) Assignee: **Landa Corporation Ltd.**, Rehovot (IL)

(**) Term: **14 Years**

(21) Appl. No.: **29/433,159**

(22) Filed: **Sep. 26, 2012**

(51) **LOC (9) Cl.** **18-02**

(52) **U.S. Cl.**
USPC **D18/53**

(58) **Field of Classification Search**
USPC D18/53, 50, 55, 56, 59, 36-39, 46-49;
D14/301, 303; 270/1.01; 271/8.1;
101/2; 358/1.1; 355/78; 399/361
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,378 S *	8/1975	Yanofski	D18/38
D236,379 S *	8/1975	Yanofsky	D18/38
D250,952 S *	1/1979	Spowart et al.	D18/53
5,103,730 A *	4/1992	Sarda	101/425
D357,499 S *	4/1995	Karafuji et al.	D18/53
D357,934 S *	5/1995	Karafuji et al.	D18/53
D412,525 S *	8/1999	Tachibana et al.	D18/53
D416,572 S *	11/1999	Ishida et al.	D18/53
D453,785 S *	2/2002	Grossmann	D18/48
D621,442 S *	8/2010	Kachi et al.	D18/39
D650,417 S *	12/2011	Brown et al.	D18/53
D663,768 S *	7/2012	Yanagisawa et al.	D18/53
D673,212 S *	12/2012	Okamoto	D18/53

FOREIGN PATENT DOCUMENTS

EM	RGN	* 10/2012
	002121681-0007	
EM	RGN	* 10/2012
	002121681-0010	

OTHER PUBLICATIONS

USPTO office action for U.S. Appl. No. 29/419,654—office action mailed on Mar. 8, 2013.
USPTO office action for U.S. Appl. No. 29/419,659—office action mailed on Mar. 11, 2013.
USPTO office action for U.S. Appl. No. 29/419,665—office action mailed on Mar. 14, 2013.
USPTO office action for U.S. Appl. No. 29/419,668—office action mailed on Mar. 8, 2013.

(Continued)

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Marc Van Dyke


(57) **CLAIM**

The ornamental design for a printer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a printer showing our new design; FIG. 2 is a back view of the printer shown in FIG. 1; FIG. 3 is a right view of the printer shown in FIG. 1; FIG. 4 is a left view of the printer shown in FIG. 1; FIG. 5 is a top view of the printer shown in FIG. 1; FIG. 6 is a bottom view of the printer shown in FIG. 1; and, FIG. 7 is a perspective view of the printer shown in FIG. 1. The broken lines immediately adjacent to the shaded areas, represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





US009914316B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 9,914,316 B2**
(45) **Date of Patent:** ***Mar. 13, 2018**

(54) **PRINTING SYSTEM**

(56) **References Cited**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)
(72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Aharon Shmaiser, Rishon LeZion (IL);
Itshak Ashkanazi, Rehovot (IL)
(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

U.S. PATENT DOCUMENTS
3,898,670 A 8/1975 Erikson et al.
4,009,958 A 3/1977 Kurita et al.
(Continued)

FOREIGN PATENT DOCUMENTS

DE 102010060999 A 6/2012
JP H70112841 A 5/1995
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
This patent is subject to a terminal disclaimer.

OTHER PUBLICATIONS

DE 102010060999 Machine Translation (by EPO and Google)—
published Jun. 6, 2012; Wolf, Roland, Dr.-Ing.
(Continued)

(21) Appl. No.: **15/439,966**

Primary Examiner — Huan Tran

(22) Filed: **Feb. 23, 2017**

Assistant Examiner — Alexander D Shenderov

(65) **Prior Publication Data**

US 2017/0239969 A1 Aug. 24, 2017

(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

Related U.S. Application Data


(63) Continuation of application No. 15/053,017, filed on Feb. 25, 2016, now Pat. No. 9,643,403, which is a (Continued)

(57) **ABSTRACT**

An intermediate transfer member (ITM) for use in a printing system to transport an ink image from an image forming station to an impression station for transfer of the ink image from the ITM onto a printing substrate, wherein the ITM is an endless flexible belt of substantially uniform width which, during use, passes over drive and guide rollers and is guided through at least the image forming station by means of guide channels that receive formations provided on both lateral edges of the belt, wherein the formations on a first edge differ from the formations on the second edge by being configured for providing the elasticity desired to maintain the belt taut when the belt is guided through their respective lateral channels.

(51) **Int. Cl.**
B41M 5/025 (2006.01)
B41J 2/01 (2006.01)
(52) **U.S. Cl.**
CPC **B41M 5/0256** (2013.01); **B41J 2/01** (2013.01); **B41J 2002/012** (2013.01)
(58) **Field of Classification Search**
CPC B41M 5/0256; B41J 2/01; B41J 2002/012
(Continued)

15 Claims, 10 Drawing Sheets



(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 9,902,147 B2**
(45) **Date of Patent:** **Feb. 27, 2018**

(54) **DIGITAL PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Benzion Landa, Nes Ziona (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/287,585**

(22) Filed: **Oct. 6, 2016**

(65) **Prior Publication Data**

US 2017/0080705 A1 Mar. 23, 2017

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/917,020, filed as application No. PCT/IN2014/064277 on Sep. 5, 2014, now Pat. No. 9,505,208, said application No. 15/287,585 is a continuation-in-part of application No. 14/382,756, filed as application No. PCT/IB2013/051717 on Mar. 5, 2013, now Pat. No. 9,568,862.

(60) Provisional application No. 61/606,913, filed on Mar. 5, 2012, provisional application No. 61/611,286, filed on Mar. 15, 2012, provisional application No. 61/619,016, filed on Apr. 2, 2012, provisional application No. 61/619,546, filed on Apr. 3, 2012, provisional application No. 61/635,156, filed on Apr. 18, 2012, provisional application No. 61/640,493, filed on Apr. 30, 2012.

(30) **Foreign Application Priority Data**

Sep. 11, 2013 (GB) 1316203.7

(51) **Int. Cl.**
B41J 2/005 (2006.01)
B41J 3/60 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41J 3/60** (2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2005/0150408 A1* 7/2005 Hesterman B41J 13/22
101/409
2011/0199414 A1* 8/2011 Lang B41J 2/17593
347/16

* cited by examiner


Primary Examiner — Lisa M Solomon

(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

(57) **ABSTRACT**

Embodiments of the invention relate to a digital printing system comprising two independently operable printing towers, each tower having a respective endless intermediate transfer member, a respective image forming system serving under digital control to deposit ink onto the intermediate transfer member to form an ink image on the respective endless intermediate transfer member, a drier for drying the ink image while it is being transported by the intermediate transfer member to form a residue film and a respective impression station at which the residue film is impressed onto a sheet substrate.

17 Claims, 9 Drawing Sheets





US009884479B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 9,884,479 B2**

(45) **Date of Patent:** **Feb. 6, 2018**

(54) **APPARATUS AND METHOD FOR CONTROL OR MONITORING A PRINTING SYSTEM**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

3,898,670 A 8/1975 Erikson et al.
4,009,958 A 3/1977 Kurita et al.
(Continued)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Nir Zarmi**, Be'erotayim (IL); **Abraham Keren**, Modi'in Maccabim Reut (IL); **Alon Siman-Tov**, Or Yehuda (IL)

FOREIGN PATENT DOCUMENTS

DE 102010060999 A 6/2012
JP H5-297737 A 11/1993
(Continued)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

DE 102010060999 Machine Translation (by EPO and Google)—published Jun. 6, 2012; Wolf, Roland, Dr.-Ing.
(Continued)

(21) Appl. No.: **15/289,210**

Primary Examiner — Huan Tran
Assistant Examiner — Alexander D Shenderov
(74) *Attorney, Agent, or Firm* — Marc Van Dyke:

(22) Filed: **Oct. 10, 2016**

(65) **Prior Publication Data**

US 2017/0080706 A1 Mar. 23, 2017

Related U.S. Application Data

(60) Division of application No. 14/860,776, filed on Sep. 22, 2015, now Pat. No. 9,498,946, which is a
(Continued)

(57) **ABSTRACT**


Embodiments of the present invention relate to control apparatus and methods of a printing system, for example, comprising an intermediate transfer member (ITM) and to user-related features of a printing system. Some embodiments relate to regulation of a velocity and/or tension and/or length of the ITM. Some embodiments relate to regulation of deposition of ink on the moving ITM. Some embodiments regulate to apparatus configured to alert a user of one or more events related to operation of the ITM. Some embodiments relate to a time-line GUI for visualizing and/or manipulating queued print jobs which may be employed. Some embodiments relate to a reversed augmented reality GUI for visualization and/or control of the printing system. In some embodiments, a display screen is mounted to a printer housing and/or able to control access to moving parts of a printing system.

(51) **Int. Cl.**
B41J 2/005 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01)

(58) **Field of Classification Search**
CPC G03G 15/00; B41J 2/0057; B41J 2002/012
(Continued)

9 Claims, 70 Drawing Sheets





US009749497B2

(12) **United States Patent**
Litvak et al.

(10) **Patent No.:** **US 9,749,497 B2**
(45) **Date of Patent:** **Aug. 29, 2017**

(54) **APPARATUS AND METHOD USING A MASK PRODUCING A HALFTONE IMAGE WITH CENTROIDS OF CLUSTERS DISTRIBUTED STOCHASTICALLY AND BRIDGED-CLUSTER COMBINATIONS DEPENDING ON THRESHOLD LIGHTNESS LEVELS**

(51) **Int. Cl.**
H04N 1/405 (2006.01)
H04N 1/409 (2006.01)
G06K 15/02 (2006.01)
(52) **U.S. Cl.**
CPC *H04N 1/4055* (2013.01); *G06K 15/1876* (2013.01); *G06K 15/1881* (2013.01); *H04N 1/409* (2013.01); *H04N 1/4051* (2013.01)

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(58) **Field of Classification Search**
CPC H04N 1/405-1/4058; H04N 1/52; H04N 1/58; G06K 15/1876; G06K 15/1877; G06K 15/1881
See application file for complete search history.

(72) Inventors: **Mattetyahu Litvak**, Tel Aviv (IL);
Shahar Klinger, Rehovot (IL); **Alon Siman Tov**, Or Yehuda (IL); **Avraham Guttman**, Yavne (IL)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

5,859,955 A * 1/1999 Wang H04N 1/4055
358/1.9
6,128,099 A * 10/2000 Delabastita H04N 1/4058
358/1.9

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **15/109,635**

EP 1111905 A2 6/2001
EP 1646222 A2 4/2006
WO WO02065755 A1 8/2002

(22) PCT Filed: **Jan. 22, 2015**

OTHER PUBLICATIONS

(86) PCT No.: **PCT/IB2015/050501**
§ 371 (c)(1),
(2) Date: **Jul. 3, 2016**

Aurenhammer, Voronoi Diagrams—A survey of a Fundamental Geometric Data Structure, ACM Computing Surveys, vol. 23, No. 3, Sep. 1991, pp. 345-405.*

(Continued)

(87) PCT Pub. No.: **WO2015/110988**
PCT Pub. Date: **Jul. 30, 2015**


Primary Examiner — Scott A Rogers
(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

(65) **Prior Publication Data**
US 2016/0344896 A1 Nov. 24, 2016


(57) **ABSTRACT**

(30) **Foreign Application Priority Data**
Jan. 22, 2014 (GB) 1401078.9

There is provided an ink-deposition device suitable for depositing ink on a target surface and a printing system comprising the same. In operation in a printing system, the
(Continued)



Sub-threshold



Threshold

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 9,643,403 B2**
(45) **Date of Patent:** **May 9, 2017**

(54) **PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL);
Aharon Shmaiser, Rishon LeZion (IL);
Itshak Ashkanazi, Rehovot (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/053,017**

(22) Filed: **Feb. 25, 2016**

(65) **Prior Publication Data**
US 2016/0167363 A1 Jun. 16, 2016

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/382,758, filed as application No. PCT/IB2013/051718 on Mar. 5, 2013, now Pat. No. 9,290,016.
(Continued)

(30) **Foreign Application Priority Data**
Mar. 20, 2015 (GB) 1504719.4

(51) **Int. Cl.**
B41J 2/005 (2006.01)
B41J 2/01 (2006.01)

(52) **U.S. Cl.**
CPC **B41J 2/01** (2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**
CPC B41J 2/0057; B41J 2/01; B41J 2002/012
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,839,181 A 6/1958 Renner et al.
5,128,091 A 7/1992 Agur et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 101177057 A 5/2008
CN 101835611 A 9/2010
(Continued)

OTHER PUBLICATIONS


CN 101177057 Machine Translation (by EPO and Google)—published May 14, 2008 —Hangzhou Yuanyang Industry Co.
(Continued)

Primary Examiner — Stephen Meier
Assistant Examiner — Alexander D Shenderov
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

An intermediate transfer member (ITM) for use in a printing system to transport an ink image from an image forming station to an impression station for transfer of the ink image from the ITM onto a printing substrate, wherein the ITM is an endless flexible belt of substantially uniform width which, during use, passes over drive and guide rollers and is guided through at least the image forming station by means of guide channels that receive formations provided on both lateral edges of the belt, wherein the formations on a first edge differ from the formations on the second edge by being configured for providing the elasticity desired to maintain the belt taut when the belt is guided through their respective lateral channels.

15 Claims, 10 Drawing Sheets





US009643400B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 9,643,400 B2**
(45) **Date of Patent:** **May 9, 2017**

(54) **TREATMENT OF RELEASE LAYER**

(56) **References Cited**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

U.S. PATENT DOCUMENTS

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Gregory Nakhmanovich**, Rishon LeZion (IL); **Dan Avital**, Mazkeret Batya (IL); **Galia Golodetz**, Rehovot (IL); **Yehoshua Sheinman**, Ra'anana (IL)

3,697,551 A	10/1972	Thomson et al.
4,293,866 A	10/1981	Takita et al.
4,401,500 A	8/1983	Hamada et al.
4,853,737 A	8/1989	Hartley et al.
5,039,339 A	8/1991	Phan et al.
5,099,256 A	3/1992	Anderson
5,106,417 A	4/1992	Hausser et al.
5,190,582 A	3/1993	Shinozuka et al.
5,352,507 A	10/1994	Bresson et al.
5,608,004 A	3/1997	Toyoda et al.
5,623,296 A	4/1997	Fujino et al.
5,679,463 A	10/1997	Visser et al.
5,723,242 A	3/1998	Lehman et al.
5,733,698 A	3/1998	Lehman et al.
5,736,250 A	4/1998	Heeks et al.
5,772,746 A	6/1998	Sawada et al.
5,859,076 A	1/1999	Kozma et al.
5,880,214 A	3/1999	Okuda
5,883,144 A	3/1999	Bambara et al.
5,883,145 A	3/1999	Hurley et al.
5,884,559 A	3/1999	Okubo et al.
5,891,934 A	4/1999	Moffatt et al.
5,895,711 A	4/1999	Yamaki
5,902,841 A	5/1999	Jaeger et al.
5,923,929 A	7/1999	Ben Avraham et al.
5,929,129 A	7/1999	Feichtinger
5,932,659 A	8/1999	Bambara et al.

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/382,930**

(22) PCT Filed: **Mar. 5, 2013**

(86) PCT No.: **PCT/IB2013/000757**

§ 371 (c)(1),

(2) Date: **Sep. 4, 2014**

(Continued)

(87) PCT Pub. No.: **WO2013/132339**

PCT Pub. Date: **Sep. 12, 2013**

FOREIGN PATENT DOCUMENTS

CN	1200085 A	11/1998
CN	102925002 A	2/2013
EP	1013466 A2	6/2000
EP	1158029 A1	11/2001
EP	2028238 A2	2/2009

(Continued)

(65) **Prior Publication Data**

US 2015/0044431 A1 Feb. 12, 2015

OTHER PUBLICATIONS

English Translation of CN1200085 as published in WO9707991 dated Mar. 6, 1997.
BASF, "JONCRYL ? 537", Datasheet, Retrieved from the internet: Mar. 23, 2007 Mar. 23, 2007 (Mar. 23, 2007) p. 1.
Supplemental European Search Report for EP 13757427.3 dated Mar. 19, 2015.

(Continued)

Primary Examiner — Gerard Higgins

(74) Attorney, Agent, or Firm — Marc Van Dyke;

Related U.S. Application Data

(60) Provisional application No. 61/611,557, filed on Mar. 15, 2012, provisional application No. 61/607,537, filed on Mar. 6, 2012, provisional application No. 61/606,913, filed on Mar. 5, 2012, provisional application No. 61/641,258, filed on May 1, 2012.

(51) **Int. Cl.**

B41J 2/005	(2006.01)
B41J 2/01	(2006.01)
C09D 11/10	(2014.01)
C09D 11/30	(2014.01)
B41M 5/025	(2006.01)
B41M 5/03	(2006.01)

(52) **U.S. Cl.**

CPC **B41J 2/0057** (2013.01); **B41J 2/01** (2013.01); **B41M 5/0256** (2013.01); **B41M 5/03** (2013.01); **C09D 11/10** (2013.01); **C09D 11/30** (2013.01); **B41J 2002/012** (2013.01); **Y10T 428/24802** (2015.01); **Y10T 428/31663** (2015.04)

(58) **Field of Classification Search**

CPC **Y10T 428/24802**; **B41J 2/057**
See application file for complete search history.

(57) **ABSTRACT**

There is provided a method for treating a hydrophobic release layer of an intermediate transfer member for use in a printing process in which a negatively charged aqueous inkjet ink including a polymeric resin and a colorant is jetted onto said layer, the claimed method comprising contacting the release layer, prior to jetting the ink, with an aqueous solution or dispersion of a positively charged polymeric chemical agent reducing the tendency of a jetted ink droplet to bead up on the intermediate transfer member. Other embodiments, such as hydrophobic release layers having such chemical agents disposed thereupon and printed ink images comprising the same, are also described.

20 Claims, 5 Drawing Sheets



US009568862B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 9,568,862 B2**
(45) **Date of Patent:** **Feb. 14, 2017**

(54) **DIGITAL PRINTING SYSTEM**

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Benzion Landa, Nes Ziona (IL)

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/382,756**

(22) PCT Filed: **Mar. 5, 2013**

(86) PCT No.: **PCT/IB2013/051717**
§ 371 (c)(1),
(2) Date: **Sep. 3, 2014**

(87) PCT Pub. No.: **WO2013/132419**
PCT Pub. Date: **Sep. 12, 2013**

(65) **Prior Publication Data**
US 2015/0049134 A1 Feb. 19, 2015

Related U.S. Application Data

(60) Provisional application No. 61/606,913, filed on Mar.
5, 2012, provisional application No. 61/611,286, filed
(Continued)

(51) **Int. Cl.**
G03G 15/16 (2006.01)
B41J 3/60 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **G03G 15/1615** (2013.01); **B41J 3/60**
(2013.01); **G03G 15/238** (2013.01); **G03G**
15/36 (2013.01); **G03G 2215/00021** (2013.01)

(58) **Field of Classification Search**

CPC **G03G 15/1615**; **B41J 2/0057**; **B41J**
2002/012

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,898,670 A 8/1975 Erikson et al.
4,009,958 A 3/1977 Kurita et al.

(Continued)

FOREIGN PATENT DOCUMENTS

DE 102010060999 A 6/2012
JP 2002169383 A 6/2002

(Continued)

OTHER PUBLICATIONS

DE 102010060999 Machine Translation (by EPO and Google)—
published Jun. 6, 2012; Wolf, Roland, Dr.-Ing.

(Continued)


Primary Examiner — An Do
Assistant Examiner — Renee I Wilson

(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(57) **ABSTRACT**

A digital printing system is disclosed having two independ-
ently operable printing towers arranged in series such that
a substrate sheet passes sequentially through both printing
towers, and in which a perfecting mechanism is provided
between the two towers to reverse each substrate sheet
during transfer from the first printing tower to the second
printing tower, the perfecting mechanism being selectively
operable to enable the second tower to print either on the
same side of each substrate sheet as the first tower or on the
opposite side of each substrate sheet. As well as allowing a
duplex mode, the system provides a higher speed simplex
mode during which different separations of the same image
are printed by the two towers.

12 Claims, 6 Drawing Sheets





US009517618B2

(12) **United States Patent**
Landa et al.

(10) **Patent No.:** **US 9,517,618 B2**
(45) **Date of Patent:** **Dec. 13, 2016**

(54) **ENDLESS FLEXIBLE BELT FOR A PRINTING SYSTEM**

(58) **Field of Classification Search**
CPC ... B41J 2/0057; B41J 2002/012; B41J 11/007; B41J 1/30; B41J 2/22; B41J 347/103; B41J 2002/12; B65G 15/00; B65H 5/02
See application file for complete search history.

(71) Applicant: **LANDA CORPORATION LTD.**,
Rehovot (IL)

(72) Inventors: **Benzion Landa**, Nes Ziona (IL); **Sagi Abramovich**, Ra'anana (IL); **Aharon Shmaiser**, Rishon LeZion (IL); **Rami Keller**, Tel Aviv (IL); **Itshak Ashkanazi**, Rehovot (IL)

(56) **References Cited**
U.S. PATENT DOCUMENTS

(73) Assignee: **LANDA CORPORATION LTD.**,
Rehovot

3,898,670 A 8/1975 Erikson et al.
4,009,958 A 3/1977 Kurita et al.
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **14/382,759**

CN 1720187 A 1/2006
DE 102010060999 A 6/2012
(Continued)

(22) PCT Filed: **Mar. 5, 2013**

OTHER PUBLICATIONS

(86) PCT No.: **PCT/IB2013/051719**
§ 371 (c)(1),
(2) Date: **Sep. 3, 2014**

DE 102010060999 Machine Translation (by EPO and Google)—
published Jun. 6, 2012; Wolf, Roland, Dr.-Ing.
(Continued)

(87) PCT Pub. No.: **WO2013/136220**
PCT Pub. Date: **Sep. 19, 2013**

Primary Examiner — Geoffrey Mruk
Assistant Examiner — Scott A Richmond
(74) *Attorney, Agent, or Firm* — Marc Van Dyke;

(65) **Prior Publication Data**
US 2015/0165759 A1 Jun. 18, 2015

Related U.S. Application Data

(57) **ABSTRACT**


(60) Provisional application No. 61/611,505, filed on Mar. 15, 2012, provisional application No. 61/611,497,
(Continued)

A flexible belt is disclosed for use in a printing system. The belt comprises an endless strip which, in use, travels along a continuous path. Formations are provided along the sides of the strip which are capable of engaging with lateral tracks to place the belt under lateral tension, the lateral tracks further serving to constrain the belt to follow the continuous path.

(51) **Int. Cl.**
B41J 2/005 (2006.01)

(52) **U.S. Cl.**
CPC ... **B41J 2/0057** (2013.01); **G03G 2215/00147** (2013.01); **G03G 2215/00151** (2013.01)

16 Claims, 8 Drawing Sheets





US009505208B2

(12) **United States Patent**
Shmaiser et al.

(10) **Patent No.:** **US 9,505,208 B2**
(45) **Date of Patent:** **Nov. 29, 2016**

(54) **DIGITAL PRINTING SYSTEM** 2014/0104360 A1* 4/2014 Hacker B41J 3/60
(71) Applicant: **LANDA CORPORATION LTD.,** 347/104
Rehovot (IL)

(72) Inventors: **Aharon Shmaiser**, Rishon LeZion (IL);
Benzion Landa, Nes Ziona (IL); **Sagi**
Moskovich, Petach Tikva (IL); **Nir**
Zarmi, Be'erotayim (IL); **Yehuda**
Solomon, Rishon LeZion (IL)

FOREIGN PATENT DOCUMENTS

JP	H05 147208 A	6/1993
WO	WO2013132356 A1	9/2013
WO	WO2013132418 A2	9/2013
WO	WO2013132419 A1	9/2013
WO	WO2013132424 A1	9/2013

(73) Assignee: **LANDA CORPORATION LTD.,**
Rehovot

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

JP H05 147208 Machine Translation (by EPO and Google)—published Jun. 15, 1993—Mita Industrial Co Ltd.

(21) Appl. No.: **14/917,020**
(22) PCT Filed: **Sep. 5, 2014**
(86) PCT No.: **PCT/IB2014/064277**
§ 371 (c)(1),
(2) Date: **Mar. 6, 2016**

* cited by examiner
Primary Examiner — Lisa M Solomon
(74) *Attorney, Agent, or Firm* — Marc Van Dyke

(87) PCT Pub. No.: **WO2015/036906**
PCT Pub. Date: **Mar. 19, 2015**
(65) **Prior Publication Data**
US 2016/0200097 A1 Jul. 14, 2016

(57) **ABSTRACT**

A printing system for printing on a substrate, comprises a movable intermediate transfer member in the form of a flexible, substantially inextensible, belt guided to follow a closed path, an image forming station for depositing droplets of a liquid ink onto an outer surface of the belt to form an ink image, a drying station for drying the ink image on the belt to leave an ink residue film on the outer surface of the belt, first and second impression stations spaced from one another in the direction of movement of the belt, each impression station comprising an impression cylinder for supporting and transporting the substrate and a pressure cylinder carrying a compressible blanket for urging the belt against the substrate supported on the impression cylinder, and a transport system for transporting the substrate from the first impression station to the second impression station. The pressure cylinder of at least the first impression station is movable between a first position in which the belt is urged towards the impression cylinder to cause the residue film on the outer surface of the belt to be transferred onto the front side of the substrate supported on the impression cylinder, and a second position in which the belt is spaced from the impression cylinder to allow the ink image on the belt to pass through the first impression station and arrive intact at the second impression station for transfer onto the reverse side of the substrate supported on the second impression cylinder.

(30) **Foreign Application Priority Data**
Sep. 11, 2013 (GB) 1316203.7

(51) **Int. Cl.**
B41J 2/01 (2006.01)
B41J 2/005 (2006.01)
B41J 11/00 (2006.01)
B41J 3/60 (2006.01)
(52) **U.S. Cl.**
CPC **B41J 2/0057** (2013.01); **B41J 2/01**
(2013.01); **B41J 3/60** (2013.01); **B41J**
11/0015 (2013.01); **B41J 2002/012** (2013.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

2005/0150408 A1 7/2005 Hesterman

10 Claims, 3 Drawing Sheets

